

**DM-1200-59**

DATE OF ISSUE 4/59

Supersedes DM-1200-56

**TRICO**

*Safe Driving*

**PRODUCTS**



**TRICO PRODUCTS CORPORATION . BUFFALO 3, N. Y.**


ORIGINATORS OF WINDSHIELD WIPERS USED BY THE MOTOR CAR INDUSTRY SINCE 1917



## WINDSHIELD WIPER BLADES

### *Rainbow*

FOR CURVED OR  
WRAP-AROUND  
SHIELDS




Trico Rainbow Blades fit all curved or wrap-around windshields. No adaptors required. Sleek, stainless steel construction and low silhouette harmonize with the car design. RB-12 with adjustable sweep selector can be used to replace all 10", 11", and 12" Blades using wrist action, bayonet, or pin type Arms.

BLADE	STD. PKG.	FITS
RB-10	10	
RB-11	10	
RB-12	10	
RB-12-2	10	
RB-15-2	10	
RB-16-2	10	

### *PR-Rainbow*

FOR  
WRAP-AROUND  
SHIELDS




Trico PR Rainbow Blades are designed for wrap-around shields. The stainless steel channel is preflexed to conform to the curvature of the shield. Low turning couple avoids Arm twist. PR-12-2 and PR-13-2 fit the original equipment bayonet Arm. PR-16 fits pin type Arm used on late model Chrysler built cars.

BLADE	STD. PKG.	FITS
PR-12-2	10	
PR-13-2	10	
PR-16	10	

### *Triple Action*

FOR  
FLAT SHIELDS




Trico Triple Action Blades fit all Wiper Arms, all flat windshields. Adjustable sweep selector raises or lowers wiping arc, permits interchangeability of sizes. TAU-10" can be used to replace 8 1/4", 9", and 10" Blades; TAU-12 to replace 11", or 12" Blades. No adaptors required.

BLADE	STD. PKG.	FITS
TAU-9	10	
TAU-10	10	
TAU-11	10	
TAU-12	10	

## WINTER BLADES AND WIPER ARMS

### WINTER WIPER BLADE

*Arctic*




Trico Arctic Blades fit all original equipment Arms on cars with curved or wrap-around windshields. No adaptors required. The flexible ice-repellent hood de-ices itself as it wipes... shedding snow, sleet, and freezing road splash. No exposed parts to snow clog or freeze. AR-11-1 fits wrist action, bayonet, and pin type Arms. AR-13-2 fits bayonet Arm, AR-15 fits the bayonet or pin type Arm used on late model cars.

BLADE	STD. PKG.	FITS
<b>AR-11-1</b>	<b>10</b>	
<b>AR-13-2</b>	<b>10</b>	
<b>AR-15</b>	<b>10</b>	

*Adjustable Arms*

### FOR ALL CARS




- Streamlined stainless steel construction
- Factory set spring tension for correct pressure
- Positive locking length adjustment
- Adjustable swivel connector for proper Blade angle

ARM	STD. PKG.	ADJUSTMENT
<b>AL-60</b>	<b>5</b>	<b>8" to 11 1/4"</b>
<b>AL-150</b>	<b>5</b>	<b>11 1/4" to 14 5/8"</b>
<b>AL-225</b>	<b>5</b>	<b>For Foreign Cars</b>

Trico Adjustable Wiper Arms fit exactly the knurled driver used on most cars since 1941. For other cars with threaded shafts, the necessary adaptors are included in the Arm box. Both AL-60 and AL-150 are packed with wrist action and bayonet Blade connectors. AL-150 is designed for late model cars with curved or wrap-around windshields. AL-225 is designed for use on foreign cars — all necessary fittings are furnished in the package.


### FOR WRAP-AROUND SHIELDS

*Cam-O-Matic*



For complete wiping of the wrap-around windshield, the Trico Cam-O-Matic Arm automatically pivots the Blade around an axis radial to the wiper shaft. Guided by a cam, the Wiper Arm rotates to position the Blade for controlled wiping contact and to maintain perfect wiping angle throughout the full sweep of Blade travel.

First used as standard equipment on 1955 cars. When ordering replacement Arms, refer to car specification section for number.





## FULLY COORDINATED WINDSHIELD WASHERS

*One Touch does  
Everything  
Automatically!*

*Start it! Forget it! the Trico Coordinated Washer Completes the  
Washing-Wiping Cycle Automatically!*

A touch of the button starts it . . . then you forget it. The water jets . . . in a split second the self-starting wipers come on . . . wet scrubbing the glass to remove all traces of wheel spray, traffic film and dirt.

Then automatic timing takes over again, the water stops . . . the wipers continue on until the glass is dry. After the pre-set cycle to dry the glass the wipers stop and automatically park themselves.

### AND you're safe against smear!

If wiper blades are allowed to run dry over wheel spray or road splash, it creates a dangerous smear across the vision area. With the C-O System this can't happen because the self-starting wipers are controlled by water pressure. If refilling is forgotten and the washer tank is empty, the washer pump can't turn on the wipers.



### New FULLY COORDINATED WINDSHIELD WASHERS

with self-starting — self-stopping  
control . . .

- Dependable
- Fully coordinated
- Compact
- New plastic tank
- Service-free operation
- No battery drain
- No water connection to wiper motor
- No short circuits

The new Trico fully coordinated washer is designed for installation on 1959 and later model cars. Complete sets are available for use with either vacuum or electric windshield wipers. Each package contains all fittings necessary to complete the installation. Sets engineered for use with electric wipers operate with either single or dual speed motors.


How to order . . . You'll find all washer installations charted by year and make of car in application chart on page 6. Listings show correct washer model for either electric or vacuum wipers.



### New INSTANT ACTION WINDSHIELD WASHER AW-24-1


The Trico instant action washer is designed for universal application on all passenger cars and commercial vehicles. New space-conserving plastic tank mounts in any convenient location. This is the standard hi-pressure vacuum powered washer used as equipment on millions of cars . . . only Trico washers are vacuum power operated . . . simply touch the button, the washer jets a measured stream of water on the shield for several seconds, turning off automatically.

## FOOT OPERATED WASHERS • PARTS • SOLVENT



5

# New... Foot Powered Washers



### AWF 8

Trico's foot lever power washer is designed for universal application on all passenger cars or commercial vehicles. Self-powered — no connection to the motor required. New compact plastic reservoir mounts in any convenient location — requires only 6 x 7½" of mounting space.

Adjustable nozzles permit proper positioning of water spray for best cleaning action.












### AWF 9

New universal model designed to fit all foreign built cars.

This washer is furnished with plastic bag and bulb type foot control, for installation in the limited space available in these cars. Packed complete with adjustable nozzles and all necessary fittings.



## WINDSHIELD WASHER PARTS

PUMPS	NOZZLES	TEES	HOSE	TANKS	CHECK VALVE	
 AWS-5-12	 FOOT LEVER BULB 87887	 AW-133	 79513-1 ¾" x ¼" x ¼"	 F-15, ¼"	 78369	 ASSEMBLY
<b>INSTANT ACTION</b> AWS-2 (GLASS TANK) AWS-7 (PLASTIC TANK)	 AW-134	 87223-1 ½" x ½" x ¾"	 846, ⅜"	 82857	 PLASTIC BAG 89079-2	
<b>COORDINATED</b> AWS-4 (GLASS TANK) AWS-6 (PLASTIC TANK)	 AW-136	 87223-2 ½" x ½" x ¼"	 848, ¼"	 82895	 PLASTIC TANK 89448	
	 AW-137	 ASSEMBLY 78778-16C			 89075-2	

## WINDSHIELD WASHER SOLVENT

For all Windshield Washers, Vacuum, Foot Operated and Electric

WA-30 — 6 oz. bottle

Shipper WA-30-12 (12 WA-30)

Sell safer year 'round vision with Trico All-Season Solvent... dissolves dangerous windshield film, bugs, smear in Spring, Summer and Fall... in Winter prevents jar breakage due to freezing.




### Anti-Freeze SOLVENT

WA-16 — 16 oz. can

Shipper WA-16-12 (12 WA-16)

A specially compounded anti-freeze solvent for Winter use. Permits operation of washer at below-freezing temperatures to remove blinding salt or calcium deposits on the windshield due to road spray. Improves vision and eliminates eye strain.



## **WASHER INSTALLATION AND PARTS CHART**

YEAR AND MAKE	MODEL	For New Installation USE KIT WITH BASE UNIT			SERVICE PUMP	JAR (Only)	COUPLER	NOZZLE	YEAR AND MAKE	MODEL	For New Installation USE KIT WITH BASE UNIT			SERVICE PUMP	JAR (Only)	COUPLER	NOZZLE
<b>BUICK</b>									<b>LINCOLN</b>	(Continued)							
51-53	50, 70	AWK-15	AWB-1	AWS-2	82895	—	—	AW-129-1	**57	AII	—	—	—	AWS-3-12	82895-1	88300	AW-134
51-52	40	AWK-15	AWB-1	AWS-2	82895	—	—	AW-129-1	**58	AII	—	—	—	AWS-4	82895-1	89100-20	AW-134
53	40	AWK-16	AWB-1	AWS-2	82895	—	—	AW-134	**59	AII	—	—	—	AWS-4	82895-1	89100-20	AW-134
54	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133	<b>MERCURY</b>								
55	40, 60, 50	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133	51-53	AII	AWK-9	AWB-1	AWS-2	82895	—	—	AW-133
55	70	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133	54	AII	AWK-9	AWB-1	AWS-2	82895	—	—	AW-133
*56	††40, 50, 60	AWK-15-1	AWB-10	AWS-4	82895	89100-13	—	AW-133	*55	AII	AWK-9-1	AWB-2	AWS-2	82895	—	—	AW-133
**56	††40, 50, 60, 70	—	—	AWS-4	82895	89100-4	—	AW-133	**55	AII	—	—	AWS-3-6	82895-1	—	—	AW-133
*57-58	AII	AWK-16-1	AWB-10	AWS-4	82895	89100-8	—	AW-133	*56	AII	AWK-15-1	AWB-11	AWS-4	82895	89100-13	—	AW-133
**57	AII	—	—	AWS-4	82895-1	89100-8	—	AW-133	**56	AII	—	—	AWS-3-12	82895-1	—	—	AW-133
**58	AII	—	—	AWS-4	82895-1	89100-11	—	AW-133	*57	AII	AWK-9-3	AWB-10	AWS-4	82895	89100-9	—	AW-133
*59	AII	AW-23-2	—	AWS-5-12	89448	—	—	AW-133	**57	AII	—	—	AWS-4	82895-1	89100-9	—	AW-133
<b>CADILLAC</b>									<b>NASH</b>								
51-52	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-129-1	52	Rambler	AWK-4	AWB-1	AWS-2	82895	—	—	AW-133
53	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-129-1	52-53	Nash	AWK-4	AWB-1	AWS-2	82895	—	—	AW-133
*54-55	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133	53-55	Rambler	AWK-4	AWB-1	AWS-2	82895	—	—	AW-133
**54-55 Early	AII	—	—	AWS-3-12	82895	—	—	AW-133	54	Nash	AWK-4	AWB-1	AWS-2	82895	—	—	AW-133
**55 Late	AII	—	—	AWS-4	82895	88300	—	AW-133	55-57	Nash	AWK-4-1	AWB-1	AWS-2	82895	—	—	AW-133
**56	AII	—	—	AWS-4	82895	89100-6	—	AW-133	56-57	Rambler	AWK-4-1	AWB-1	AWS-2	82895	—	—	AW-133
**57	AII	—	—	AWS-4	82895	89100-11	—	AW-133									
**58	AII	—	—	AWS-4	82895	89100-11	—	AW-133									
**59	AII	—	—	87202-3	82895-1	—	—	—									
<b>CHEVROLET</b>									<b>OLDSMOBILE</b>								
51-52	AII	AW-20-1	—	AWS-2	82895	—	—	AW-134	52-54	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133
53-54	AII	AW-20-1	—	AWS-2	82895	—	—	AW-134	55	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133
55	AII (Vac.)	AWK-17	AWB-1	AWS-2	82895	—	—	AW-133	*56	AII	AWK-15-1	AWB-10	AWS-4	82895	—	—	AW-133
55	AII (Elec.)	AWK-17-1	AWB-1	AWS-2	82895	—	—	AW-133	**56	AII	—	—	AWS-2	82895	—	—	AW-133
56	AII (Vac.)	AWK-17-2	AWB-10	AWS-4	82895	89100-13	—	AW-133	*57	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133
56	AII (Elec.)	AWK-17-3	AWB-10	AWS-4	82895	89100-13	—	AW-133	**57	AII	—	—	AWS-2	82895	—	—	AW-133
57	AII	AW-20-3	—	AWS-4	82895	89100-13	—	AW-133	**58	AII	—	—	AWS-4	82895	89100-21	—	AW-133
58	AII (Vac.)	AW-20-4	—	AWS-4	82895	89100-16	—	AW-133	**59	AII	—	—	87202-3	82895	—	—	AW-133
58	AII (Elec.)	AW-20-5	—	AWS-4	82895	89690	—	AW-133	*59	AII	AW-23-2	—	AWS-5-12	89448	—	—	AW-133
*59	AII	AW-20-6	—	AWS-5-12	89448	—	—	AW-137									
<b>CHRYSLER — DE SOTO</b>									<b>PACKARD</b>								
49-53	AII	AWK-14	AWB-1	AWS-2	82895	—	—	87580-1C	51-53	AII	AWK-12-1	AWB-1	AWS-2	82895	—	—	AW-133
54	AII	AWK-14-1	AWB-1	AWS-2	82895	—	—	87580-2C	*54	AII	AWK-12-1	AWB-1	AWS-2	82895	—	—	AW-133
55-56	AII	AWK-14-2	AWB-1	AWS-2	82895	—	—	AW-133	**54	AII	—	—	AWS-3-6	82895	—	—	AW-133
57-58	AII	AWK-14-4	AWB-1	AWS-2	82895	—	—	AW-136	*55-56	AII	AWK-12-1	AWB-1	AWS-2	82895	—	—	AW-133
59	AII	AW-24-1	—	AWS-7	89448	—	—	AW-133	**55-56 Early	AII	—	—	AWS-3-12	82895	88300	—	AW-133
<b>DODGE</b>									**56 Late	AII	—	—	AWS-3-12	82895	88300	—	AW-133
53	AII	AWK-15	AWB-1	AWS-2	82895	—	—	AW-133	57-58	AII	AWK-2	AWB-1	AWS-2	82895	—	—	AW-133
54	AII	AWK-14-1	AWB-1	AWS-2	82895	—	—	87580-2C									
55-56	AII	AWK-14-2	AWB-1	AWS-2	82895	—	—	AW-133									
57-58	AII	AWK-14-4	AWB-1	AWS-2	82895	—	—	AW-133									
59	AII	AW-24-1	—	AWS-7	89448	—	—	AW-133									
<b>EDSEL</b>									<b>PLYMOUTH</b>								
**58	AII	—	—	AWS-4	82895-1	89100-18	—	AW-133	51-54	AII	AWK-14	AWB-1	AWS-2	82895	—	—	87580-1C
*58	AII	AWK-19	AWB-10	AWS-4	82895	89100-18	—	AW-133	55-56	AII	AWK-14-2	AWB-1	AWS-2	82895	—	—	AW-133
*59	Vac.	AW-22-2	—	AWS-6	89448	89100-17	—	AW-133	57-58	AII	AWK-14-4	AWB-1	AWS-2	82895	—	—	AW-136
*59	Elec.	AW-22-3	—	AWS-6	89448	89100-20	—	AW-133	59	AII	AW-24-1	—	AWS-7	89448	—	—	AW-133
<b>FORD</b>									<b>PONTIAC</b>								
52-54	AII	AWK-13	AWB-1	AWS-2</td													

## GLASS CLEANER • VACUUM MOTORS • LINKAGES



## New! GLASS CLEANER Concentrate

GC-5, One Quart Can . . . Standard Shipping Carton 12, GC-5



A concentrated windshield cleaning solution to be mixed with water before application, one quart makes 20 quarts of glass cleaner. Spray on—wipe off—and it's clean. Cuts through windshield film, grime, bugs and oily deposits efficiently and safely. Will not injure lacquer—wood—rubber or metal finishes.

### AUTOMOTIVE USE . . .

Use on windshield, windows and plastic or leather car upholstery. For car washing add 2 oz. concentrate to a 12 quart pail of water.

### HOUSEHOLD USE . . .

Ideal for cleaning windows, mirrors, tile walls, asphalt tile floors, woodwork or any glass, metal or painted surface.





## WIPER MOTORS

Trico wiper motors are in use as original equipment on millions of vehicles. Rugged construction and a minimum of moving parts assure years of dependable operation. Trico wiper motors are built to fit the car. For new car performance . . . renew with Trico wiper motors that match exactly the original equipment model. Nothing to rig. Nothing to adjust.

Specify unit number or year, make, and model of vehicle. Specification section lists permanent service motor number and optional replacement (See car specification section).

### KSB POWER UNITS

Six KSB interchangeable power units provide replacements for a wide range of original equipment KSB type motors. Each motor is packed with two interchangeable shafts. Correct motor number to use is listed in car specification section.





## WIPER LINKAGES

Wiper linkages are produced in a number of models to fit the car body. For identification purpose, the part number is stamped on the cross arm or linkage head.

How to order . . . Specify unit number or year, make, and model of vehicle. Car specification section provides complete list of linkages or linkage heads for service replacement. For tensioners used with cable linkages, refer to DM-3000 Service & Specification Manual.



**LINKAGE HEADS FOR SERVICE REPLACEMENT** — Linkage heads match exactly the standard equipment model, but are furnished without the connecting arm. To assemble as a complete linkage, remove the connecting arm from the old linkage and attach to threaded stud on linkage head. Refer to car specification section for correct number listed by year and make of vehicle.





## HEAVY DUTY AIR PRESSURE EQUIPMENT

Trico Air Pressure Windshield Wipers are manufactured in a wide range of standard and heavy duty models. These Motors are designed to meet the rugged heavy duty requirements of trucks, buses, and all other commercial vehicles. For new Air Wiper installations, Trico engineers will recommend the best equipment for any vehicle. Complete windshield specifications should be listed on Trico order form, DM-2021.




### APM AIR PRESSURE MOTOR

Arcuate type Pressure Motor — minimum mounting space requirement . . . abundant power . . . works effectively either for direct operation of Arm and Blade, or for linkage drive. Order by year, make, model of vehicle, or Motor number.

AIR  
PRESSURE  
CONTROLS

- 75470-4 . . . 1/4" fittings used with FP, FPC, and FPSC Motors.
- 75470-5 . . . 3/16" fittings used with FP, FPC, and FPSC Motors.
- F-1500-6 . . . used with FPSP Motors.
- F-1430 . . . used with FPK Motors.
- F-1560-1 . . . used with FDC Motors.



### FPSC POWER UNITS


Trico FPSC Power Units replace all FP, FPS, FPC, FPSC, and FPSP models. These units feature leak-proof valve construction, cushioned stroke, molded piston packing, positive locking interchangeable shafts. 19 numbers replace 450 original equipment units permitting standardization of fleet service stock. Available in all strokes 50° - 140° with left or right hand air inlet (right hand units provided with parking connection). For complete details, see FPSC catalog sheet, DM-2031.

### FPK AIR PRESSURE MOTOR


Special heavy duty unit recommended for urban public carriers. Particularly adapted for use with long Blades and Arms. Order by year, make, model of vehicle or Motor number.

### FDC AIR PRESSURE MOTOR

Most powerful Air Wiper in the Trico line, especially developed to operate two Heavy Duty Arms and Blades through linkage drive. Order by year, make, model of vehicle, or Motor number.



### HEAVY DUTY WIPER ARMS AND BLADES FOR ALL COMMERCIAL VEHICLES



#### WIPER ARMS

Trico Heavy Duty Arms are designed for use with the Air Pressure Wipers shown above. Factory set spring tension provides correct wiping contact. Adjustable Blade connector permits positioning of Blade for maximum vision.

80910 . . . for use with knurled shafts  
9", 10", 12", 13", 14", 15", 16", 17", 18"

J87415-JL . . . for use with tapered flat shafts  
9", 10", 11", 12", 13", 14", 15", 16", 17", 18"

#### WIPER BLADES

Trico Heavy Duty Blades are built to withstand hard commercial usage. The sturdy, stainless steel channel and extra-heavy hollow-cut wiping element provides positive wiping contact.

for flat shields . . .  
HF-12, HF-14, HF-16, HF-17, HF-18, HF-19, HF-20, HF-21

for curved shields . . .

RB-214, RB-216, RB-218, RB-220

AR-215, AR-218 Heavy Duty Arctic Blade for winter use.

Note: Last two digits of above blade numbers indicate length.

# WIPER HOSE • TANKS • ELECTRO-VACS • CLAIREONS

9



## WINDSHIELD WIPER HOSE

### Boxed Hose


846 (90") 3/16"  
848 (90") 1/4"  
F-15 (90") 1/8"

Trico fabric inserted hose is especially constructed for use with vacuum equipment. Trico hose permits full passage of air. It is compression proof, kink proof, as well as resistant to heat and oil. 1/4" hose is used on most vacuum wipers. 3/16" and 1/8" sizes are used on Windshield Washer vacuum and fluid lines.

## RESERVAC TANKS

Sp. 599-52A (540 cubic inches)

Universal Model Reservac for all cars and trucks. This Reservac provides ample reserve of vacuum to assure steady, even wiper operation under periods of sharp acceleration or when vehicle is operating under a load. Flat surface of the Tank readily mounts against under surface of car floor. No moving or wearing parts. Other sizes of Reservac Tanks are also available.



## ELECTRO VAC

EV-105 (6-volt)  
EV-112-1 (12-volt)

The Electro Vac is an electrically operated vacuum pump designed as an auxiliary to maintain vacuum at high altitudes or when vehicle is operating under extreme heavy load. Equipped with a separate illuminated control switch the Electro Vac automatically cuts in when manifold vacuum drops. Recommended for installation on commercial vehicles, school buses and public carriers not equipped with air brakes, also adaptable for passenger cars.

## CLAIREON TRUMPETS




Trico's twin vacuum trumpets for all cars, trucks, and buses. Trico Claireons are among the most directional of all warning devices and produce a blended musical note that penetrates a full half mile under all driving conditions.

**AV-20 Model** — Designed for under the hood installation, the AV-20 Model may be mounted on the splash apron or any flat surface. Ample vacuum capacity is provided through the use of Sp. 599-52A Reservac Tank supplied with this model.


**AV-10A** — Harmonized set, full chromium plate, designed for use on the exterior in any desired position. Includes steering column vacuum control.

**AV-10B** — Full chromium plate harmonized set of Claireons, assembled with bracket as illustrated. This model has mounting advantages for exterior use. Supplied with all-vacuum controls for attachment to steering column.


**AIR PRESSURE TRUMPETS — P-20** — A twin harmonized set finished in metallic lacquer. Fitted with brackets for universal mounting on the outside or under the hood. Sounds a strong penetrating musical note that can be distinctly heard under all driving conditions. The ideal signal for commercial cars equipped with air brakes.




AV-20 Model



AV-10A Model




AV-10B Model



P-20 Model

1959

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
All Cam-O-Matic	DS PS	RB-15-2 "	89985-1C 89986-1C					
All Non Cam-O-Matic	DS PS	RB-15-2 "	89817-3C 89818-3C					
<b>CADILLAC</b>								
All	DS PS	RB-15-2 "	89815-1C 89816-1C					
<b>CHEVROLET</b>								
All Except Corvette	DS PS	RB-15-2 "	89817-1C 89818-1C					
Corvette	DS PS	PR-13-2 "	AL-150 "			89008-1J 89007-1J		87000-59J
Trucks All With Vacuum Wipers	DS PS	RB-12 "	AL-150 "	CPH-12-33		G-88825-2J G-88824-1J		87000-54J
Trucks All With Electric Wipers	DS PS	RB-12 "	AL-150 "			88825-3J 88824-3J		
<b>CHRYSLER</b>								
All	DS PS	PR-16 "						
<b>DE SOTO</b>								
All	DS PS	PR-16 "						
<b>DODGE</b>								
All	DS PS	PR-16 "						
<b>EDSEL</b>								
All	DS PS	PR-13-2 "	AL-150 "	CPH-12-37		G-89903-J G-89902-J		87150-36J
<b>FORD</b>								
All Except Thunderbird	DS PS	PR-13-2 "	AL-150 "	CPH-12-37		G-89903-J G-89902-J		87150-36J
Thunderbird	DS PS	PR-13-2 "	AL-60 "	CPHM-11-39		G-89592-J G-89591-J		87150-35J
<b>LINCOLN</b>								
All	DS PS	RB-16-2 "	90111-1C 90110-1C	CPS-1-11		G-88799-1J G-88798-1J		87000-65J
<b>MERCURY</b>								
All With Vacuum Wipers	DS PS	RB-16-2 "	89819-1C 89820-1C	CPS-1-3		89592-2J 89591-2J		87000-62J
All With Electric Wipers	DS PS	RB-16-2 "	89819-1C 89820-1C	Not Trico		89592-2J 89591-2J		87000-68J



## CAR SPECIFICATIONS

1959

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>OLDSMOBILE</b>								
All Cam-O-Matic	DS PS	RB-15-2 "	89815-3C 89816-3C					
All Non-Cam-O-Matic	DS PS	RB-15-2 "	89817-3C 89818-3C					
<b>PLYMOUTH</b>								
All	DS PS	PR-16 "						
<b>PONTIAC</b>								
"A" Cam-O-Matic	DS PS	RB-15-2 "	89985-1C 89986-1C					
"A" Cam-O-Matic Over Lapping Style	DS PS	RB-16-2 "	89985-2C 89986-2C					
"A" Non-Cam-O-Matic	DS PS	RB-15-2 "	89817-3C 89818-3C					
"Bonneville" Cam-O-Matic	DS PS	RB-16-2 "	89985-2C 89986-2C					
"Bonneville" Non Cam-O-Matic	DS PS	RB-16-2 "	89817-2C 89818-2C					
CANADIAN All Cam-O-Matic	DS PS	RB-15-2 "	89985-1C 89986-1C					
CANADIAN All Non Cam-O-Matic	DS PS	RB-15-2 "	89817-3C 89818-3C					
<b>RAMBLER</b>								
All Except "American"	DS PS	RB-12-2 or RB-12	AL-150 "	CHS-1-6		87417-5J 87416-5J		87150-40J
"American"	DS PS	RB-11 "	AL-60 "	CHS-1-8		90091-1J 90090-1J		87150-41J
<b>STUDEBAKER</b>								
59S, W4, F4 J4, D4, Y1 With Electric Wipers	DS PS	RB-12-2 or RB-12	AL-150 "	Not Trico		H-87820-1 "		
59S, W4, F4 J4, D4, Y1 With Vacuum Wipers	DS PS	RB-12-2 or RB-12	AL-150 "	CPH-12-19 "		H-87820-1 "		82360-29J
59H-K7, 59H-C3 59G-C3	DS PS	RB-12-2 or RB-12	AL-60 "	Not Trico		H-87820-1 "		

1958

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
40 Special 60 Century	DS PS	PR-13-2 "	AL-150 "	CPH-10-11		88141-24J 88140-24J		89280-C
40, 60 with Cam-O-Matic	DS PS	PR-13-2 "	89343-1C 89342-1C	CPDM-2-21		88141-22J 88140-22J		89280-C
50 Super	DS PS	PR-13-2 "	AL-150 "	CPH-10-11		88141-25J 88140-25J		89280-C
Super with Cam-O-Matic & Roadmaster	DS PS	PR-13-2 "	89343-1C 89342-1C	CPDM-2-21		88141-23J 88140-23J		89280-C
<b>CADILLAC</b>								
All	DS PS	PR-13-2 "	89285-1C 89286-1C	CPDM-2-2		88141-26J 88140-26J		89290-2C
<b>CHEVROLET</b>								
All with Vacuum Wipers	DS PS	PR-13-2 "	AL-150 "	CHS-1-4		89632-J 89631-J		87000-60J
All with Electric Wipers	DS PS	PR-13-2 "	AL-150 "	Not Trico		89632-2J 89631-2J		
Corvette	DS PS	PR-13-2 "	AL-150 "	Not Trico		89008-1J 89007-1J		87000-59J
Truck (Vacuum Wipers)	DS PS	RB-12 "	AL-150 "	CPH-12-33		88825-2J 88824-1J		87000-54J
Truck (Electric Wipers)	DS PS	RB-12 "	AL-150 "	Not Trico		88825-3J 88824-3J		
CANADIAN All Vacuum	DS PS	PR-13-2 "	AL-150 "	CHS-1-2		89632-J 89631-J		87000-60J
CANADIAN All Electric	DS PS	PR-13-2 "	AL-150 "	Not Trico		89632-2J 89631-2J		
<b>CHRYSLER</b>								
All	DS PS	PR-16 "						
<b>DE SOTO</b>								
All	DS PS	PR-16 "						
<b>DODGE</b>								
All	DS PS	PR-16 "						
<b>EDSEL</b>								
Ranger, Pacer (1st Production)	DS PS	PR-12-2 or RB-12-2	AL-60 "	CPH-11-7		88508-2J 88507-2J		89525-2C
Ranger, Pacer (2nd Production)	DS PS	PR-12-2 or RB-12-2	AL-60 "	CPH-11-25		89762-J 89761-J		89525-2C
Corsair & Citation	DS PS	PR-12-2 or RB-12-2	AL-150 "	CPH-11-17		88508-4J 88507-4J		89525-1C




## CAR SPECIFICATIONS

1958

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>FORD</b>								
All Except Retractable Top	DS PS	PR-12-2 or RB-12-2	AL-60 "	CPH-11-23		89762-J 89761-J		87150-30J
Retractable Top Model	DS PS	PR-12-2 or RB-12-2	AL-150 "	CPH-11-23		89762-J 89761-J		87150-30J
Thunderbird	DS PS	PR-13-2 "	AL-60 "	CPDM-2-17		G-89592-J G-89591-J		87150-35J
Truck (Conventional)	DS PS	RB-12-2 "	AL-150 "	CPH-12-23		G-88988-1J G-88987-1J		87150-24J
<b>LINCOLN</b>								
All	DS PS	PR-15-2 "	89471-1C 89470-1C	CPDM-2-19		G-88799-1J G-88798-1J		87000-57J
<b>MERCURY</b>								
All	DS PS	PR-12-2 "	AL-150 "	CPH-11-17		88508-4J 88507-4J		87000-61J
<b>OLDSMOBILE</b>								
All	DS PS	PR-13-2 "	AL-150 "	CPH-11-31		88271-10J 88270-10J		82840-72J
<b>PACKARD</b>								
All	DS PS	RB-12-2 "	AL-150 "	CPM-12-17		H-87820-1 "		
<b>PLYMOUTH</b>								
All	DS PS	PR-16 "						
<b>PONTIAC</b>								
All	DS PS	PR-13-2 "	AL-150 "	CPH-11-21		88470-9J "		82840-71J
CANADIAN 20-22 (Vacuum Wipers)	DS PS	PR-13-2 "	AL-150 "	CHS-1-2		89632-J 89631-J		87000-60J
CANADIAN 20-22 (Electric Wipers)	DS PS	PR-13-2 "	AL-150 "	Not Trico		89632-2J 89631-2J		
<b>RAMBLER</b>								
All	DS PS	RB-12 "	AL-150 "					
<b>STUDEBAKER</b>								
Sedan	DS PS	RB-12-2 "	AL-150 "	CPM-12-17		H-87820-1 "		
Hardtop	DS PS	RB-12-2 "	AL-60 "	Not Trico		H-87820-1 "		
<b>WILLYS</b>								
Jeep	DS PS	RB-12-2 "	89405-1JL 89406-1JL	CPH-10-18		G-89402-J G-89401-J		81170-23J
Station Wagon Pickup & Dispatcher	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J


1957

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
40 Special 60 Century	DS PS	PR-13-2 "	AL-150 "	CPH-10-11		88141-19J 88140-19J		89280-C
40-60 with Cam-O-Matic	DS PS	PR-13-2 "	89343-1C 89342-1C	CPD-2-15		88141-17J 88140-17J		89280-C
50 Super	DS PS	PR-13-2 "	AL-150 "	CPH-10-11		88141-20J 88140-20J		89280-C
50 Super 70 Roadmaster with Cam-O-Matic	DS PS	PR-13-2 "	89343-1C 89342-1C	CPD-2-15		88141-18J 88140-18J		89280-C
<b>CADILLAC</b>								
"C" Series	DS PS	PR-13-2 "	89285-1C 89286-1C	CPDM-2-2		88141-21J 88140-21J		89290-C
<b>CHEVROLET</b>								
All Except Corvette	DS PS	RB-12 * "	AL-150 "	CPM-12-45		88471-7J 88470-7J		87000-53J
Corvette	DS PS	RB-12-2 "	AL-150 "	Not Trico		G-89008-J G-89007-J		87000-47J
Truck	DS PS	RB-12 "	AL-150 "	CPH-12-21		G-88825-2J G-88824-1J		87000-54J
<b>CONTINENTAL</b>								
All	DS PS	PR-12-2 or RB-12-2	89039-1C 89038-1C	CPD-1-5		88799-J 88798-J		88870-2J
<b>CHRYSLER</b>								
All	DS PS	PR-16 "						
<b>DE SOTO</b>								
All	DS PS	PR-16 "						
<b>DODGE</b>								
All	DS PS	PR-16 "						
<b>FORD</b>								
Custom Series & Station Wagon	DS PS	PR-12-2 or RB-12-2	AL-150 "	CPH-10-15		88508-2J 88507-2J		87150-28J
Fairlane Series Includes Conv. & Hardtop	DS PS	PR-12-2 or RB-12-2	AL-60 "	CPH-10-15		88508-2J 88507-2J		87150-28J
Truck (Conventional)	DS PS	RB-12-2 "	AL-150 "	CPH-12-23		G-88988-1J G-88987-1J		87150-24J

\* PR-12-2 Recommended For Electric Wipers



## CAR SPECIFICATIONS

1957

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>HUDSON</b>								
All	DS PS	RB-12 "	AL-150 "					
<b>LINCOLN</b>								
All	DS PS	RB-12-2 "	88947-1C 88946-1C	CPH-10-15		G-88508-J G-88507-J		88105-5J
<b>MERCURY</b>								
All	DS PS	PR-12-2 or RB-12-2	AL-150 "	CPH-10-45		88508-3J 88507-3J		87000-50J
<b>NASH</b>								
All	DS PS	RB-12 "	AL-150 "					
<b>OLDSMOBILE</b>								
All	DS PS	PR-13-2 "	AL-150 "	CPH-11-5	CPH-11-31	88271-9J 88270-9J		82840-69J
<b>PACKARD</b>								
All	DS PS	RB-12-2 "	AL-150 "	Not Trico		H-87820-1 "		
<b>PLYMOUTH</b>								
All	DS PS	PR-16 "						
<b>PONTIAC</b>								
All	DS PS	RB-13-1 ** "	AL-150 "	CPM-12-47		88471-6J 88470-6J		87000-49J
<b>STUDEBAKER</b>								
Closed (Vacuum)	DS PS	RB-12-2 "	AL-150 "	CPM-12-17		H-87820-1 "		
Closed (Electric)	DS PS	RB-12-2 "	AL-150 "	Not Trico		H-87820-1 "		
Hardtop	DS PS	RB-12-2 "	AL-60 "	Not Trico		H-87820-1 "		
<b>WILLYS</b>								
Station Wagon	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J
Jeep	DS PS	RB-12-2 "	89405-1JL 89406-1JL	CPH-10-18		G-89402-J G-89401		81170-23J

\*\* PR-13-2 Recommended For Electric Wipers


1956

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
40 Special	DS	PR-12-2 or	AL-150-	CPH-10-41		G-88271-4J		82840-57J
60 Century	PS	RB-12-2	"			G-88270-4J		
40-60 with Cam-O-Matic	DS	PR-12-2 or	88861-3C	CPD-1-7		G-88271-5J		88870-5J
	PS	RB-12-2	88860-3C			G-88270-5J		
50 Super	DS	PR-12-2 or	AL-150	CPH-10-39		G-88141-3J		82840-57J
	PS	RB-12-2	"			G-88140-3J		
70 Roadmaster	DS	PR-12-2 or	88861-4C	CPD-2-7 Early		G-88141-6J	Early	88870-5J
50 Super With Cam-O-Matic	PS	RB-12-2	88860-4C	CPD-2-5 Late		G-88140-6J		
						G-88141-9J	Late	
						G-88140-9J		
<b>CADILLAC</b>								
All	DS	PR-12-2 or	88811-4C	CPD-1-4		G-88141-8J		82840-55J
	PS	RB-12-2	88810-4C			G-88140-8J		
<b>CHEVROLET</b>								
All except Corvette	DS	RB-12	AL-150	CPM-12-39 Early		G-88471-J	Early	87000-38J
	PS	"	"	CPM-12-41 Late		G-88470-J		
						G-88471-4J	Late	
						G-88470-4J		
Truck	DS	RB-12	AL-150	CPH-12-11		G-88825-2J		87000-37J
	PS	"	"			G-88824-1J		
<b>CONTINENTAL</b>								
All	DS	RB-12-2	89039-1C	CPD-1-5		88799-J		88870-2J
	PS	"	89038-1C			88798-J		
<b>CHRYSLER</b>								
All	DS	RB-12	AL-150					
	PS	"	"					
<b>DE SOTO</b>								
All	DS	RB-12	AL-150					
	PS	"	"					
<b>DODGE</b>								
All	DS	RB-12	AL-150					
	PS	"	"					
<b>FORD</b>								
Closed and Station Wagon	DS	RB-12-2	AL-150	CPH-12-5		H-88397-3		87150-8J
	PS	"	"			H-88397-2		
Convertible and Hard-Top	DS	RB-12-2	AL-60	CPH-12-5		H-88397-3		87150-8J
	PS	"	"			H-88397-2		
Thunderbird	DS	RB-12-2	AL-150	CPH-12-10		H-88397-3		87150-8J
	PS	"	"			H-88397-2		
Truck	DS	RB-12-2	AL-150	CPH-12-13		G-88988-J		87150-13J
	PS	"	"			G-88987-J		
<b>HUDSON</b>								
Rambler	DS	RB-12	AL-150					
	PS	"	"					
Wasp, Hornet	DS	RB-12 †	AL-150 †					
	PS	"	"					

† Arm and Blade must be used together.



## CAR SPECIFICATIONS


1956

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
All	DS PS	PR-12-2 or RB-12-2	88947-1C 88946-1C	CPH-10-15		G-88508-J G-88507-J		88105-5J
<b>MERCURY</b>								
Closed and Station Wagon	DS PS	RB-12-2 "	AL-150 "	CPH-12-5		H-88397-3 H-88397-2		88105-3J
Convertible and Hard-top	DS PS	RB-12-2 "	AL-60 "	CPH-12-5		H-88397-3 H-88397-2		88105-3J
<b>NASH</b>								
Statesman and Ambassador	DS PS	RB-12 † "	AL-150 † "					
Rambler	DS PS	RB-12 "	AL-150 "					
<b>OLDSMOBILE</b>								
All	DS PS	PR-12-2 or RB-12-2	AL-60 "	CPH-10-31 Early CPH-10-37 Late		G-88271-6J } Early G-88270-6J } G-88271-8J } Late G-88270-8J }		82840-54J
<b>PACKARD</b>								
Clipper (Early)	DS PS	PR-12-2 or RB-12-2	88861-2C 88860-2C	CPD-1-3		G-88731-1C G-88730-1C		88870-J
Clipper (Late)	DS PS	PR-12-2 or RB-12-2	88861-8C 88860-8C	CPD-2-1		G-88731-1C G-88730-1C		88870-6J
Packard (Early)	DS PS	PR-12-2 or RB-12-2	88811-2C 88810-2C	CPD-1-3		G-88731-1C G-88730-1C		88870-J
Packard (Late)	DS PS	PR-12-2 or RB-12-2	88811-5C 88810-5C	CPD-2-1		G-88731-1C G-88730-1C		88870-6J
<b>PLYMOUTH</b>								
All	DS PS	RB-12 "	AL-150 "					
<b>PONTIAC</b>								
All	DS PS	RB-12 "	AL-150 "	CPM-12-29		G-88471-1J G-88470-1J		87000-40J
<b>STUDEBAKER</b>								
Sedan (Optional with Electric)	DS PS	RB-12-2 "	AL-150 "	CPM-12-17		H-87820-1 "		82630-21J
Hard-top	DS PS	RB-12-2 "	AL-60 "	Not Trico		H-87820-1 "		
Truck Vacuum Wipers	DS PS	RB-10 "	AL-60 "	CSM-119		H-82643-1 "		81339-5J
Truck Electric Wipers	DS PS	RB-10 "	AL-60 "	Not Trico		H-82643-1 "		
<b>WILLYS</b>								
Station Wagon and Truck	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J
Jeep	DS PS	TAU-8½ "	AL-60 "	S-616 S-616-1	Complete R.H. Set Sp. 2523-3A.			

† Arm and Blade must be used together.


1955

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
Special 40 Century 60 Skylark 100	DS PS	RB-12-2 "	AL-150 "	CPH-10-31		G-88271-4J G-88270-4J		82840-46J
Super 50	DS PS	RB-12-2 "	AL-150 "	CPH-10-29		G-88141-3J G-88140-3J		82840-46J
Roadmaster 70	DS PS	RB-12-2 "	88861-1C 88860-1C	CPD-1-1		G-88141-6J G-88140-6J		88870-1J
<b>CADILLAC</b>								
All	DS PS	RB-12-2 "	88811-1C 88810-1C	CPH-10-20		G-88141-5J G-88140-5J		88348-J
<b>CHEVROLET</b>								
All (Vacuum)	DS PS	RB-12 "	AL-150 "	CPM-12-27		G-88471-J G-88470-J		87000-34J
All (Electric)	DS PS	RB-12 "	AL-150 "	Not Trico		G-88471-J G-88470-J		87000-34J
Corvette	DS PS	RB-11 "	AL-150 "	Not Trico		G-88231-J G-88230-J		87000-26J
Truck, Late (Early Models- See 1954)	DS PS	RB-12 "	AL-150 "	CPH-12-11		G-88825-J G-88824-1J		87000-37J
<b>CHRYSLER</b>								
Trico Parts Electric Wipers	DS PS	RB-12 "	AL-150 "					
<b>DE SOTO</b>								
Trico Parts Electric Wipers	DS PS	RB-12 "	AL-150 "					
<b>DODGE</b>								
Trico Parts Electric Wipers	DS PS	RB-12 "	AL-150 "					
<b>FORD</b>								
Closed and Station Wagon	DS PS	RB-12 (E) RB-12-2(L)	AL-150 "	CPH-12-5		H-88397-3 H-88397-2		87150-9J
Conv. & Hardtop	DS PS	RB-12 (E) RB-12-2(L)	AL-60 "	CPH-12-5		H-88397-3 H-88397-2		87150-9J
Truck (Early)	DS PS	RB-11 "	AL-150 "	CPH-12-2		H-87688-1 "		87150-3J
Truck (Late)	DS PS	RB-11 "	AL-150 "	CPH-12-12		H-87688-1 "		87150-3J
Thunderbird (Early)	DS PS	RB-12 "	AL-150 "	CPH-12-8		H-88397-2 H-88397-3		87150-8J
Thunderbird (Late)	DS PS	RB-12-2 "	AL-150 "	CPH-12-10		H-88397-2 H-88397-3		87150-8J
<b>HUDSON</b>								
Hornet Wasp	DS PS	RB-12** "	AL-150** "					
Rambler (Early) (Late see 1956)	DS PS	RB-11 "	AL-60 "	CPM-12-15		H-87526-1 "		82840-38J

\*\*Arm &amp; Blade must be used together.




## CAR SPECIFICATIONS

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
All	DS PS	RB-12 "	AL-150 "	CPH-10-15		G-87153-J G-87152-J		88105-4J
<b>MERCURY</b>								
Closed and Station Wagon	DS PS	RB-12 (E) RB-12-2(L)	AL-150 "	CPH-12-5		H-88397-3 H-88397-2	(Early) 87000-29J (Late) 88105-3J	
Convertible and Hardtop	DS PS	RB-12 (E) RB-12-2(L)	AL-60 "	CPH-12-5		H-88397-3 H-88397-2	(Early) 87000-29J (Late) 88105-3J	
<b>NASH</b>								
Rambler (Early) (Late see 1956)	DS PS	RB-11 "	AL-60 "	CPM-12-15		H-87526-1 "	(Early) 82840-38J	
Ambassador Statesman	DS PS	RB-12 ** "	AL-150 ** "					
<b>OLDSMOBILE</b>								
All	DS PS	RB-12 "	AL-150 "	CPH-10-31		G-88271-3J G-88270-3J		82840-50J
<b>PACKARD</b>								
Clipper	DS PS	RB-12-2 "	88861-2C 88860-2C	CPD-1-3		G-88731-1C G-88730-1C		88870-J
Packard	DS PS	RB-12-2 "	88811-2C 88810-2C	CPD-1-3		G-88731-1C G-88730-1C		88870-J
<b>PLYMOUTH</b>								
Trico Parts Electric Wipers	DS PS	RB-12 "	AL-150 "					
<b>PONTIAC</b>								
All	DS PS	RB-12 "	AL-150 "	CPM-12-29		G-88471-1J G-88470-1J		87000-27J
<b>STUDEBAKER</b>								
Std. Series (Vacuum Wipers)	DS PS	RB-11 "	AL-150 "	CPM-12-17		H-87820-1 "		81339-6J
Sports Series (Vacuum Wipers)	DS PS	RB-11 "	AL-150 "	CPM-12-19		H-87820-1 "		81339-6J
All (Electric Wipers)	DS PS	RB-11 "	AL-150 "	Not Trico		H-87820-1 "		
Truck (Vacuum Wipers)	DS PS	RB-10 "	AL-60 "	CSM-119		H-82643-1 "		81339-5J
Truck (Electric Wipers)	DS PS	RB-10 "	AL-60 "	Not Trico		H-82643-1 "		
<b>WILLYS</b>								
Closed	DS PS	RB-11 "	AL-150 "	CPM-11-19		H-87440-3 H-87440-2		87000-24J
Station Wagon Truck	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J


\*\*Arm & Blade must be used together.

1954

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50 Super	DS	RB-12	AL-150	CPH-10-29		G-88141-3J	G-88141-1J	82840-46J
70 Roadmaster	PS	"	"	"		G-88140-3J	G-88140-1J	
40 Special Early	DS	RB-12	AL-150	CPH-10-29		G-88271-4J	G-88271-2J	82840-46J
60 Century	PS	"	"	"		G-88270-4J	G-88270-2J	
40 Special Late	DS	RB-12	AL-150	CPH-10-31		G-88271-4J	G-88271-2J	82840-46J
60 Century	PS	"	"	"		G-88270-4J	G-88270-2J	
<b>CADILLAC</b>								
All	DS	RB-12	88727-1C	CPH-10-20		G-88141-4J	G-88141-2J	88348-J
	PS	"	88726-1C	"		G-88140-4J	G-88140-2J	
<b>CHEVROLET</b>								
Closed	DS	RB-11	AL-150	CPM-12-23		87071-2J	87071-1J	87000-3J
	PS	"	"	"		87070-2J	87070-1J	
Hardtop Convertible	DS	RB-11	AL-60	CPM-12-23		87071-2J	87071-1J	87000-3J
	PS	"	"	"		87070-2J	87070-1J	
Corvette	DS	RB-11	AL-150	CPH-10-25		88231-J		87000-26J
	PS	"	"	"		88230-J		
Truck	DS	RB-11	AL-60	CPM-12-21		H-87589-1		87150-5J
	PS	"	"	"		"		
<b>CHRYSLER</b>								
Trico Parts Electric Wipers	DS	RB-12	AL-150					
	PS	"	"					
<b>DE SOTO</b>								
Trico Parts Electric Wipers	DS	RB-12	AL-150					
	PS	"	"					
<b>DODGE</b>								
Trico Parts Electric Wipers	DS	RB-12	AL-150					
	PS	"	"					
<b>FORD</b>								
All	DS	RB-11	AL-150	CPM-12-1		H-87299-1		87150-7J
	PS	"	"	"		H-87298-1		
Truck	DS	RB-11	AL-150	CPH-12-2		H-87688-1		87150-3J
	PS	"	"	"		"		
Truck	DS	For Air Pressure Replacement Order Sp. FPS-1084-A						
	PS							
<b>HUDSON</b>								
Hornet	DS	RB-11	AL-60	CPM-11-23		G-81351-5C		82840-41J
Wasp	PS	"	"	"		G-81352-5C		
Jet	DS	RB-10	AL-60	CPM-13-3		G-81351-5C		82840-41J
	PS	"	"	"		G-81352-4C		
<b>KAISER</b>								
Closed Convertible Sports Car	DS	RB-11	AL-150	CHM-11-5		H-86425-10C		82360-10J
	PS	"	"	"		H-86424-10C		
Henry J	DS	TAU-11	AL-60	CSM-115-1		H-86717-1		81303-13J
	PS	"	"	"		"		
Trico Parts Electric Wipers	DS	RB-11	AL-150	For Complete Replacement Order Sp. 2753-A				
	PS	"	"					



## CAR SPECIFICATIONS

1954

21

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
All (Early)	DS PS	RB-11 "	AL-150 "	CHM-10-5		G-87153-J G-87152-J		87000-14J
All (Late)	DS PS	RB-12 "	AL-150 "	CPH-10-15		G-87153-J G-87152-J		87000-14J
<b>MERCURY</b>								
All	DS PS	RB-11 "	AL-150 "	CPM-12-1		H-87299-1 H-87298-1		87000-21J
<b>NASH</b>								
Ambassador Statesman	DS PS	RB-11 "	AL-150 "	CPM-12-5		H-87526-1 "		82840-48J
Rambler	DS PS	RB-11 "	AL-60 "	CPM-12-15		H-87526-1 "		82840-38J
Metropolitan	DS PS	TAU-9 "	AL-60 "					
<b>OLDSMOBILE</b>								
All (Early)	DS PS	RB-12 "	AL-150 "	CPH-10-29		G-88271-3J G-88270-3J	G-88271-1J G-88270-1J	82840-47J
All (Late)	DS PS	RB-12 "	AL-150 "	CPH-10-31		G-88271-3J G-88270-3J	G-88271-1J G-88270-1J	82840-47J
<b>PACKARD</b>								
All	DS PS	RB-11 "	AL-150 "	CPH-10-27		G-86639-C G-86638-C		88055-1J
<b>PLYMOUTH</b>								
Trico Parts Electric Wipers	DS PS	RB-12 "	AL-150 "	For Complete Replacement Order Sp. 2774-A				
<b>PONTIAC</b>								
Closed	DS PS	RB-11 "	AL-150 "	CPM-12-25		87071-2J 87070-2J	87071-1J 87070-1J	87000-13J
Hardtop Convertible	DS PS	RB-11 "	AL-60 "	CPM-12-25		87071-2J 87070-2J	87071-1J 87070-1J	87000-13J
<b>STUDEBAKER</b>								
Closed Vacuum Wipers	DS PS	RB-11 "	AL-150 "	CPM-12-17		H-87820-1 "		81339-6J
Hardtop Vacuum Wipers	DS PS	RB-11 "	AL-150 "	CPM-12-19		H-87820-1 "		81339-6J
Closed Electric Wipers	DS PS	RB-11 "	AL-150 "	Not Trico		H-87820-1 "		
Hardtop Electric Wipers	DS PS	RB-11 "	AL-150 "	Not Trico		H-87820-1 "		
Truck Vacuum Wipers	DS PS	RB-10 "	AL-60 "	CSM-119		H-82643-1 "		81339-5J
Truck Electric Wipers	DS PS	RB-10 "	AL-60 "	Not Trico		H-82643-1 "		
<b>WILLYS</b>								
Aero Eagle	DS PS	RB-11 "	AL-150 "	CPM-11-19		H-87440-3 H-87440-2		87000-15J
Aero Ace Lark, Falcon	DS PS	RB-11 "	AL-150 "	CPM-12-7		H-87440-3 H-87440-2		87000-24J
Station Wagon, Truck	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J
Jeep	DS PS	TAU-8½ "	AL-60 "	S-616 S-616-1	For Complete R.H. Vacuum Set Order Sp. 2523-A			

1953

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50 Super	DS	RB-11	AL-150	CHM-10-5		86121-1C		82840-3J
70 Roadmaster	PS	"	"			86120-C		
40 Special Deluxe	DS	RB-11	AL-150	CPM-12-9		H-86545-11C		82840-19J
	PS	"	"			H-86544-11C		
40 Special Standard	DS	RB-11	AL-150	CPM-12-9		H-86537-11C		82840-19J
	PS	"	"			H-86536-11C		
<b>CADILLAC</b>								
All	DS	RB-11	AL-150	CHM-10-5		86121-2C		82840-40J
	PS	"	"			86120-1C		
<b>CHEVROLET</b>								
All (Early)	DS	RB-11	AL-150	CPM-12-3		87071-J		87000-3J
	PS	"	"			87070-J		
All (Late)	DS	RB-11	AL-150	CPM-12-3		87071-2J	87071-1J	87000-3J
	PS	"	"			87070-2J	87070-1J	
Truck	DS	TAU-10 or U-778-10" C	AL-150	SSM-412-2		H-81684-1	G-81552	77930-30C
	PS		"			"	G-81553	
		For Air Pressure Replacement Order SP. FPS-1044-A						
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS	RB-12	AL-150					
	PS	"	"					
<b>CROSLEY</b>								
Closed	DS	TAU-9 or U-778-9" C	AL-60	KSB-457-1				
	PS		"	KSB-457				
<b>DE SOTO</b>								
Trico Parts Elec. Wipers	DS	RB-12	AL-150					
	PS	"	"					
<b>DODGE</b>								
Trico Parts Elec. Wipers	DS	RB-12	AL-150					
	PS	"	"					
<b>FORD</b>								
All	DS	RB-11	AL-150	CPM-12-1		H-87299-1		87150-2J
	PS	"	"			H-87298-1		
Truck	DS	RB-11	AL-150	CPH-12-2		H-87688-1		87150-3J
	PS	"	"			"		
		For Air Pressure Replacement order SP. FPS-1084-A						
<b>HUDSON</b>								
Wasp, Hornet	DS	RB-10	AL-60	CHM-11-1		G-81351-5C		82840-36J
	PS	"	"			G-81352-5C		
Jet	DS	RB-10	AL-60	CPM-13-1		G-81351-5C		82840-41J
	PS	"	"			G-81352-4C		
<b>KAISER</b>								
Kaiser	DS	RB-11	AL-150	CHM-11-5		H-86425-10C	G-86425-C	82360-9J
	PS	"	"			H-86424-10C	G-86424-C	
Henry J	DS	TAU-11	AL-60	CSM-115-1		H-86717-1	G-86711	81303-13J
	PS	"	"			"	G-86710	
Trico Parts Elec. Wipers	DS	RB-11	AL-150	For Complete Replacement Order SP. 2753-A				
	PS	"	"					

^ Hardtop &amp; Conv. Arm AL-60



## CAR SPECIFICATIONS

1953

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-5		G-87153-J G-87152-J		87000-14J
<b>MERCURY</b>								
All	DS PS	RB-11 "	AL-150 "	CPM-12-1		H-87299-1 H-87298-1		87000-11J
<b>NASH</b>								
Ambassador Statesman	DS PS	RB-11 "	AL-150 "	CPM-12-5		H-87526-1 "		82840-8J
Rambler	DS PS	RB-11 "	AL-60 "	CPM-12-15		H-87526-1 "		82840-38J
<b>OLDSMOBILE</b>								
All	DS PS	RB-11 "	AL-150 "	CPM-12-9		H-86545-11C H-86544-11C		82840-22J
<b>PACKARD</b>								
All	DS PS	RB-11 "	AL-150 "	CPH-10-27		G-86639-C G-86638-C		81170-14J
<b>PLYMOUTH</b>								
Trico Parts Elec. Wipers	DS PS	RB-12 "	AL-150 "	For Complete Replacement Order SP. 2774-A				
<b>PONTIAC</b>								
All (Early)	DS PS	RB-11 "	AL-150 " ✓	CHM-10-5		87071-J 87070-J		87000-13J
All (Late)	DS PS	RB-11 "	AL-150 " ✓	CHM-10-5		87071-2J 87070-2J	87071-1J 87070-1J	87000-13J
<b>STUDEBAKER</b>								
Closed Vac. Wipers	DS PS	RB-11 "	AL-150 "	CPM-12-17		H-87820-1 "		81339-5J
Hard Top Vac. Wipers	DS PS	RB-11 "	AL-150 "	CPM-12-19		H-87820-1 "		81339-6J
Closed Elec. Wipers	DS PS	RB-11 "	AL-150 "	Not Trico		H-87820-1 "		
Hard Top Elec. Wipers	DS PS	RB-11 "	AL-150 "	Not Trico		H-87820-1 "		
Truck - Vac.	DS PS	TAU-10 "	AL-60 "	CSM-119		H-82643-1 "		81339-5J
Truck - Elec.	DS PS	TAU-10 "	AL-60 "	Not Trico		H-82643-1 "		
<b>WILLYS</b>	.							
Closed Aero Series	DS PS	RB-11 "	AL-150 "	CPM-12-7		H-87440-3 H-87440-2		87000-15J
Hard Top Aero Series	DS PS	RB-11 "	AL-150 "	CPM-11-19		H-87440-3 H-87440-2		87000-15J
Sta. Wagon	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J
Jeep	DS PS	TAU-8½ "	AL-60 "	S-616	For Complete R.H. Set Order SP. 2523-3A			
Truck	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J

✓ Hardtop & Conv. Arm AL-60


1952

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50 Super	DS	RB-11	AL-150	CHM-10-5		86121-1C		82840-3J
70 Roadmaster	PS	"	"			86120-C		
40 Special Deluxe	DS	RB-11	AL-150	CPM-12-9		H-86545-11C		82840-19J
	PS	"	"			H-86544-11C		
40 Special Standard	DS	RB-11	AL-150	CPM-12-9		H-86537-11C		82840-19J
	PS	"	"			H-86536-11C		
<b>CADILLAC</b>								
All	DS	RB-11	AL-150	CHM-10-5		86121-C		82840-24J
	PS	"	"			86120-C		
<b>CHEVROLET</b>								
All (Early)	DS	RB-11	AL-60	CHM-10-7		H-82711-10C	G-82711-C	87000-1J
	PS	"	"			H-82710-10C	G-82710-C	
All (Late)	DS	RB-11	AL-60	CPM-12-11		H-82703-11C		87000-1J
	PS	"	"			H-82702-11C		
Trucks	DS	TAU-10 or U-778-10	AL-150	SSM-412-2		H-81684-1	G-81552	77930-30C
	PS	"C	"			"	G-81553	
		For Air Pressure Replacement Order Sp. FPS-1044-A						
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS	TAU-12	AL-150					
	PS	"	"					
<b>CROSLEY</b>								
Closed	DS	TAU-9 or U-778-9	AL-60	KSB-457-1				
	PS	"C	"	KSB-457				
<b>DE SOTO</b>								
Trico Parts Elec. Wipers	DS	TAU-12	AL-150					
	PS	"	"					
<b>DODGE</b>								
Trico Parts Elec. Wipers	DS	TAU-12	AL-150					
	PS	"	"					
<b>FORD</b>								
All	DS	RB-11	AL-150	CPM-12-1		H-87299-1		87150-2J
	PS	"	"	✓		H-87298-1		
Trucks	DS	TAU-10	AL-60	CHM-11-10		H-86987-1	G-86985	81170-17J
	PS	"	"			H-86986-1	(unitized)	
		For Air Pressure Replacement Order Sp. FPS-1063-A						
<b>HUDSON</b>								
Std. Models 4B (Early)	DS	RB-10	AL-60	CHM-11-1		G-81351-1C		82840-31J
	PS	"	"			G-81352-1C		
Deluxe Models 5B, 6B, 7B, 8B (Early)	DS	RB-10	AL-60	CHM-11-1		G-81351-3C		82840-31J
	PS	"	"			G-81352-3C		
All Models (Late)	DS	RB-10	AL-60	CHM-11-1		G-81351-5C		82840-31J
	PS	"	"			G-81352-5C		

✓ Hardtop and Convertible Arm AL-60



## CAR SPECIFICATIONS

1952

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>KAISER</b>								
Special	DS PS	RB-11 "	AL-150 "	CHM-11-5		H-86425-10C H-86424-10C	G-86425-C G-86424-C	82360-9J
Henry J	DS PS	TAU-11 "	AL-60 "	CSM-115-1		H-86717-1 "	G-86711 G-86710	81303-12J
Trico Parts Elec. Wipers	DS PS	RB-11 "	AL-150 "	For Complete Replacement Order Sp. 2753-A				
<b>LINCOLN</b>								
All	DS PS	RB-11 "	AL-150 " ✓	CHM-10-5		G-87153-J G-87152-J		87000-14J
<b>MERCURY</b>								
All	DS PS	RB-11 "	AL-150 " ✓	CPM-12-1		H-87299-1 H-87298-1		87000-11J
<b>NASH</b>								
Ambassador Statesman	DS PS	RB-11 "	AL-150 "	CPM-12-5		H-87526-1 "		82840-8J
Rambler	DS PS	RB-10 "	AL-60 "	CSM-113-1		G-82947 G-82946		82840-20J
<b>OLDSMOBILE</b>								
98 & 88	DS PS	RB-11 "	AL-150 "	CPM-12-9		H-86545-11C H-86544-11C		82840-22J
<b>PACKARD</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-1-19		G-86639-C G-86638-C		81170-14J
<b>PLYMOUTH</b>								
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2760-A				
<b>PONTIAC</b>								
All (Early)	DS PS	RB-11 "	AL-60 "	CHM-10-9		H-82703-10C H-82702-10C	G-82703-C G-82702-C	81303-4J
All (Late)	DS PS	RB-11 "	AL-60 "	CPM-12-13		H-82703-11C H-82702-11C		81303-4J
<b>STUDEBAKER</b>								
Vacuum Equipped	DS PS	RB-10 "	AL-60 "	CHM-11-3		H-86779-1J "	G-86715-J G-86768-J	81339-5J
Electric Equipped	DS PS	RB-10 "	AL-60 "	Not Trico		H-86779-1J "	G-86769-J G-86768-J	Not Trico
				For Complete Replacement Order SP. 2751-A				
Trucks	DS PS	TAU-10 "	AL-60 "	CSM-108		H-82643-1	G-82531 G-82530	81339-3J
<b>WILLYS</b>								
Aero Series	DS PS	RB-11 "	AL-150 "	CPM-12-7		H-87440-3 H-87440-2		87000-15J
Sta. Wagon	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J
Jeep	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	S-616 S-616-1	For Complete Right Hand Set Order SP. 2523-3A			
Truck	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J


✓ Hardtop and Convertible Arm AL-60

1951

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50 Super	DS	RB-11	AL-150	CHM-10-5		86121-1C		82840-3J
70 Roadmaster	PS	"	"			86120-C		
40 Special Deluxe	DS	RB-11	AL-150	CHM-10-41		H-86545-10C	G-86545-C	82840-19J
	PS	"	"			H-86544-10C	G-86544-C	
40 Special Standard	DS	RB-11	AL-150	CHM-10-41		H-86537-10C	G-86537-C	82840-19J
	PS	"	"			H-86536-10C	G-86536-C	
<b>CADILLAC</b>								
All	DS	RB-11	AL-150	CHM-10-5		86121-C		82840-24J
	PS	"	"			86120-C		
<b>CHEVROLET</b>								
All	DS	RB-11	AL-60	CHM-10-7		H-82711-10C		87000-1J
	PS	"	"			H-82710-10C		
Truck	DS	TAU-10 or U-778-10" C	AL-150	SSM-412-2		H-81684-1		77930-26C
	PS		"			"		
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS	TAU-12	AL-150					
	PS	"	"					
<b>CROSLEY</b>								
Closed	DS	TAU-9 or U-778-9" C	AL-60	KSB-457-1				
	PS		"	KSB-457				
<b>DE SOTO</b>								
Trico Parts Elec. Wipers	DS	TAU-12	AL-150					
	PS	"	"					
Taxi	DS	TAU-12 or WLA-778-12" C	AL-150	SSM-118		H-86011-1	G-82791	82800-6J
	PS		"			H-86010-1	G-82790	
<b>DODGE</b>								
Trico Parts Elec. Wipers	DS	TAU-12	AL-150	For Complete Replacement Order SP. 2759-A				
	PS	"	"					
<b>FORD</b>								
Clo. Conv. (Early)	DS	TAU-11	AL-60	CHM-11-8		H-86035-1	G-82607-1	81303-11J
	PS	"	"			H-82613-1	(unitized)	
Clo. Conv. (Late)	DS	TAU-11	AL-60	CHM-11-8		H-87136-3	G-87140	87150-1J
	PS	"	"			H-87136-2	(Unitized)	
Sta. Wagon	DS	TAU-11	AL-150	CHM-11-9			G-82665-1	82360-6J
	PS	"	"				(Unitized)	
Trucks	DS	TAU-10	AL-60	CHM-11-10		H-86987-1	G-86985	81170-17J
	PS	"	"			H-86986-1	(Unitized)	
<b>HUDSON</b>								
Closed	DS	RB-10	AL-60	CHM-11-1		G-81351-1C		82840-31J
	PS	"	"			G-81352-1C		
Conv.	DS	RB-10	AL-60	CHM-11-1		G-81351-3C	G-81351-2C	82840-31J
	PS	"	"			G-81352-3C	G-81352-2C	
<b>KAISER</b>								
Special	DS	RB-11	AL-150	CHM-11-5		H-86425-10C	G-86425-C	82360-9J
	PS	"	"			H-86424-10C	G-86424-C	
Henry J	DS	TAU-11	AL-60	CSM-115-1		H-86717-1	G-86711	81303-12J
	PS	"	"			"	G-86710	
Trico Parts Elec. Wipers	DS	RB-11	AL-150	For Complete Replacement Order SP. 2753-A				
	PS	"	"					



## CAR SPECIFICATIONS

1951


MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
IL Models	DS PS	TAU-11 "	AL-150 "	CHM-11-7		H-86379-1 H-86378-1	G-86856 (Unitized)	82840-27J
IH Models	DS PS	RB-11 "	AL-60 "	CHM-10-3		G-81740-1C G-81741-1C		82840-28J
<b>MERCURY</b>								
All	DS PS	TAU-11 "	AL-60 "	CHM-11-7		H-86379-1 H-86378-1	G-86856 (Unitized)	82840-12J
<b>NASH</b>								
Ambassador Statesman	DS PS	RB-10 "	AL-60 "	CSM-102-2	CSM-104-2	G-82087-1 G-82086-1		82840-8J
Rambler	DS PS	RB-10 "	AL-60 "	CSM-113-1		G-82947 G-82946		82840-20J
<b>OLDSMOBILE</b>								
98	DS PS	RB-11 "	AL-150 "	CHM-10-5		86121-C 86120-C		82840-4J
88 Deluxe	DS PS	RB-11 "	AL-150 "	CHM-10-41		H-86545-10C H-86544-10C	G-86545-C G-86544-C	82840-21J
88 Standard	DS PS	RB-11 "	AL-150 "	CHM-10-41		H-86537-10C H-86536-10C	G-86537-C G-86536-C	82840-21J
<b>PACKARD</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-1-19		G-86639-C G-86638-C		81170-14J
<b>PLYMOUTH</b>								
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2755-A				
<b>PONTIAC</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-9		H-82703-10C H-82702-10C	G-82703-C G-82702-C	81303-4J
<b>STUDEBAKER</b>								
Vacuum Equipped	DS PS	TAU-10† RB-10††	AL-60 "	CHM-11-3		H-86779-1J "	G-86715-J G-86768-J	81339-5J
Electric Equipped	DS PS	TAU-10† RB-10††	AL-60 "	Not Trico		H-86779-1J "	G-86769-J G-86768-J	Not Trico
				For Complete Replacement Order SP-2751-A				
Truck	DS PS	TAU-10 "	AL-60 "	CSM-108		H-82643-1 "	G-82531 G-82530	81339-3J
<b>WILLYS</b>								
Station Wagon	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J
Jeepster	DS PS	TAU-10 "	AL-60 "	CSM-118		G-82557-C G-82556-C		81170-2J
Jeep	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	S-616 S-616-1				
Truck	DS PS	TAU-10 "	AL-60 "	CSM-118		G-81490 G-81489		81170-2J

† TAU For Flat Shields

†† RB For Curved Shields


1950

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-5		86121-1C 86120-C		82840-3J
<b>CADILLAC</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-5		86121-C 86120-C		82840-14J
<b>CHEVROLET</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-7		H-82711-10C H-82710-10C	G-82711-C G-82710-C	82840-15J
Truck	DS PS	TAU-10 or U-778-10" C	AL-150 "	SSM-412-2		H-81684-1 "	G-81552 G-81553	77930-26C
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2524-1A				
<b>CROSLEY</b>								
Closed	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-457-1 KSB-457				
<b>DE SOTO</b>								
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2524-1A				
Taxi	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-118		H-86011-1 H-86010-1	G-82791 G-82790	82800-3J
<b>DODGE</b>								
Clo. 2 Door Sedan	DS PS	TAU-11 or WLA-778-11" C	AL-150 "	SSM-118† CSM-112††		H-86011-1 H-86010-1	G-82791 G-82790	82800-3J
Roadster	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	SSM-120† CSM-114††		H-86107-1 H-86108-1	G-86089 G-86088	82800-J
Clo. Coupe 4 Door Sedan	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-118† CSM-112††		H-86011-1 H-86010-1	G-82791 G-82790	82800-3J
Truck - All Except 2½, 3 ton	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-117-1			G-82433 "	78628-6J
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2524-1A				
<b>FORD</b>								
Clo. Conv.	DS PS	TAU-11 "	AL-60 "	CSM-107		H-86035-1 H-82613-1	G-82607 (Unitized)	82360-6J
Sta. Wagon	DS PS	TAU-11 "	AL-60 "	CSM-106-1			G-82665 (Unitized)	82360-6J
Trucks	DS PS	TAU-10 "	AL-60 "	CSM-101-2		H-82113-1 "	G-81653 (Unitized)	81170-4J
<b>HUDSON</b>								
All	DS PS	RB-10 "	AL-60 "	CSM-104-1		G-81351-C G-81352-C		82840-9J
<b>KAISER-FRAZER</b>								
All	DS PS	TAU-11 "	AL-60 "	CSM-101-3		G-81492 G-81491		82586-J

† Early    †† Late



## CAR SPECIFICATIONS

1950


MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
OL Models	DS PS	TAU-11 or WLA-778-11" C	AL-150 "	CSM-111-1		H-86379-1 H-86378-1	G-86371 (Unitized)	82840-12J
OH Models	DS PS	RB-11 "	AL-60 "	CHM-10-3		G-81740-1C G-81741-1C		82840-13J
<b>MERCURY</b>								
All	DS PS	TAU-11 "	AL-150 "	CSM-111-1		H-86379-1 H-86378-1	G-86372 (Unitized)	82840-12J
<b>NASH</b>								
Ambassador Statesman	DS PS	RB-10 "	AL-60 "	CSM-102-2		G-82087 G-82086		82840-8J
Rambler	DS PS	RB-10 "	AL-60 "	CSM-113-1		G-82947 G-82946		82840-20J
<b>OLDSMOBILE</b>								
98	DS PS	RB-11 "	AL-150 "	CHM-10-5		86121-C 86120-C		82840-4J
76 and 88	DS PS	RB-11 "	AL-150 "	CHM-10-11		H-82831-10C H-82830-10C	G-82831-C G-82830-C	82840-18J
<b>PACKARD</b>								
All	DS PS	TAU-11 or WLA-778-11" C	AL-150 " ✓	CHM-1-19		G-81946-1 G-81947-1		81170-13J
<b>PLYMOUTH</b>								
Clo. All Except 2 Door	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-118 † CSM-112 ‡†		H-86003 H-86002-1	G-82795 G-82794	82800-1J † 86470-1J ‡†
2 Door	DS PS	TAU-12 or WLA-778-12" C	AL-60 "	SSM-118 † CSM-112 ‡†			G-86085 G-86084	82800-1J † 86470-1J ‡†
Conv.	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	SSM-120 † CSM-114 ‡†		H-86003-1 H-86002-1	G-86087 G-86086	82800-1J † 86470-1J ‡†
<b>PONTIAC</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-9		H-82703-10C H-82702-10C	G-82703-C G-82702-C	81303-4J
<b>STUDEBAKER</b>								
All Models Flat Shields	DS PS	TAU-10 "	AL-60 "	CHM-10-39		G-82909 G-82908		81339-4J
All Models Curved Shields	DS PS	RB-10 "	AL-60 "	CHM-10-39		G-82909 G-82908		81339-4J
Trucks	DS PS	TAU-10 "	AL-60 "	CSM-108		H-82643-1 "	G-82531 G-82530	81339-3J
<b>WILLYS</b>								
Sta. Wagon Truck	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		G-81490 G-81489		81170-2J
Jeepster	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		G-82557-C G-82556-C		81170-2J
Jeep	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	S-616 S-616-1				

†Early ‡Late

✓ Convertible Arm AL-60


1949

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
40 Special	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	80060
50 Super 70 Roadmaster	DS PS	RB-11 "	AL-60 "	CHM-10-5		G-81861-2C G-81860-2C		81660-1J
<b>CADILLAC</b>								
60, 61, 62	DS PS	RB-11 "	AL-60 "	CHM-10-5		G-81861-5C G-81860-5C		82796-1J
75	DS PS	TAU-9 or U-778-9" C	AL-60 "	CSM-2-3		G-82159-C G-82158-C	G-82159-1C G-82158-1C	82796-1J
<b>CHEVROLET</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-7	/	H-82711-10C H-82710-10C	G-82711-C G-82710-C	81303-6J
Trucks	DS PS	TAU-10 or U-778-10" C	AL-150 "	SSM-412-2		H-81684-1 "	G-81552 G-81553	77930-24C
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2524-A				
<b>CROSLEY</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-457-1 KSB-457				
<b>DE SOTO</b>								
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2524-A				
<b>DODGE</b>								
Clo. All Except 2 Door	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-118		H-86011-1 H-86010-1	G-82791 G-82790	82800-J
2 Door	DS PS	TAU-11 or WLA-778-11" C	AL-150 "	SSM-118		H-86011-1 H-86010-1	G-82791 G-82790	82800-J
Roadster	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	SSM-120		H-86107-1 H-86108-1	G-86089 G-86088	82800-J
Trico Parts Elec. Wipers	DS PS	TAU-12 "	AL-150 "	For Complete Replacement Order SP. 2524-A				
Truck - All Except 2½, 3 Ton	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-117-1			G-82433 "	78628-6J
Urban Delivery T-164-5	DS PS	874-18" C or HF-18	86213-83JL "	CHM-1-31 CHM-1-33	(Conn. Arm only) 86233 (Conn. Arm only) 86234			86239-1J
Packette	DS PS	874-15" C "	86235-1JL 86236-1JL	SBM-40-1 SBM-40				
Power Wagon B-1-PW	DS PS	TAU-8½ or WLA-778-8½" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-406† KSB-406-1†			
<b>FORD</b>								
Clo., Conv.	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-107		H-86035-1 H-82613-1	G-82607 (Unitized)	82360-6J
Sta. Wagon	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-106-1			G-82665 (Unitized)	82360-6J
Truck F1-F8	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		H-82113-1 "		81170-4J G-81653
		Pass. Side Linkage G-81653 is included In SP. AA 172-2 Used for Complete Installation						
Truck 8J - 85	DS PS	874-16" C or HF-16	82701-3JL 82700-3JL	CSM-110-1 CSM-110		H-82856-1 "	G-82712 G-82713	81170-9J 81170-10J
<b>HUDSON</b>								
All	DS PS	RB-11 "	AL-60 "	CSM-104-1		G-81351-C G-81352-C		82435-J

† Use Sp. 4851 Arm Adaptor Package



## CAR SPECIFICATIONS

1949

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>KAISER-FRAZER</b>								
All	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-101-3		G-81492 G-81491		82586-J
<b>LINCOLN</b>								
Lincoln 9EL	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-106-1			G-82562 (Unitized)	82360-J
Cosmopolitan 9 EH	DS PS	RB-11 "	AL-60 "	CHM-10-3		G-81740-1C G-81741-1C		82360-1J
<b>MERCURY</b>								
All	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-106-1			G-82562 (Unitized)	82360-J
<b>NASH</b>								
All	DS PS	RB-10 "	AL-60 "	CSM-102-2		G-82087 G-82086		81170-8J
<b>OLDSMOBILE</b>								
76, 88 (Early)	DS PS	RB-11 "	AL-150 "	CHM-10-11		H-82831-10C H-82830-10C	G-82831-C G-82830-C	81303-3J
76, 88 (Late)	DS PS	RB-11 "	AL-150 "	CHM-10-11		H-82831-10C H-82830-10C	G-82831-C G-82830-C	82840-J
98	DS PS	RB-11 "	AL-60 "	CHM-10-5		G-81861-2C G-81860-2C		82840-2J
<b>PACKARD</b>								
All (Early)	DS PS	TAU-11 or WLA-778-11" C	AL-150 " <sup>✓</sup>	CSM-102-1		G-81947 G-81946		81170-1J
All (Late)	DS PS	TAU-11 or WLA-778-11" C	AL-150 " <sup>✓</sup>	CHM-1-19		G-81947-1 G-81946-1		81170-13J
<b>PLYMOUTH</b>								
All Closed Except 2 Door	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-118		H-86003-1 H-86002-1	G-82795 G-82794	82800-1J
2 Door	DS PS	TAU-12 or WLA-778-12" C	AL-60 "	SSM-118			G-86085 G-86084	82800-1J
Conv.	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	SSM-120		H-86003-1 H-86002-1	G-86087 G-86086	82800-1J
<b>PONTIAC</b>								
All	DS PS	RB-11 "	AL-150 "	CHM-10-9		H-82703-10C H-82702-10C	G-82703-C G-82702-C	81303-4J
<b>STUDEBAKER</b>								
All	DS PS	TAU-10† RB-10††	AL-60 "	CHM-1-13		G-82909 G-82908		81339-J
Truck	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-108	CSM-8	H-82643-1 "	G-82531 G-82530	81339-3J
<b>WILLYS</b>								
Sta. Wagon	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2	CSM-1-2	G-81490 G-81489		81170-2J
Jeepster	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2	CSM-1-2	G-82557-C G-82556-C		81170-2J
Jeep	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	S-616 S-616-1				
Truck	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2	CSM-1-2	G-81490 G-81489		81170-2J


† Flat Shields

†† Curved Shields

✓ Convertible Arm AL-60


1948

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50 Super 70 Roadmaster	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	CSM-101-1	CSM-1-1	G-81300-C G-81301-C		81303-J
40 Special	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-102-8A	SSR-2-4	H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	80060
<b>CADILLAC</b>								
75	DS PS	TAU-9 or U-778-9" C	AL-60 "	CSM-2-3		G-82159-C G-82158-C		81660-J
60, 61, 62	DS PS	RB-11 "	AL-60 "	CHM-1-1		G-81861-1C G-81860-1C		81660-J
<b>CHEVROLET</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	79020
Trucks	DS PS	TAU-10 or U-778-10" C	AL-150 "	SSM-412-2		H-81684-1 "	G-81552 G-81553	77930-24C
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "					
<b>CROSLEY</b>								
Closed	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-457 KSB-457-1				
<b>DE SOTO</b>								
Taxi	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-1		G-81411 G-81412		81170-1J
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "					
<b>DODGE</b>								
Clo. D 24	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-51-5A		H-81592-4 H-81592-5	G-79218-1J G-79219-1J	78628-1J
B-1-PW Power Wagon	DS PS	TAU-8½ or WLA-778-8½" C	AL-60 "	KSB-600 L KSB-600-1R	KSB-406 ✓ KSB-406-1✓			
Trucks-Except 2½ & 3 Ton	DS PS	TAU-12 or WLA-778-12" C	AL-150 "	SSM-117-1			G-82433 "	78628-6J
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "					
<b>FORD</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-114			G-82156 (Unitized)	81184-J
Trucks F1-F8	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		H-82113-1 "	G-81653 (Unitized)	81170-4J
<b>HUDSON</b>								
All	DS PS	RB-11 "	AL-60 "	CSM-104-1		G-81351-C G-81352-C		82435-J
<b>KAISER-FRAZER</b>								
All	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-101-3		G-81492 G-81491		81170-2J

✓ Use Sp. 4851 Arm Adaptor Package



## CAR SPECIFICATIONS

1948

33

MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
Std. Lincoln	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-5-5A		H-78592-2C "	G-78593-2C G-78592-2C	79549-2PN
Continental	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-5-5A		H-78821-2S "	G-78822-2S G-78823-2S	79966-C
<b>MERCURY</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-114			G-82156 (Unitized)	81184-J
<b>NASH</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-408		H-79314-1J "	G-79311-J "	79310-2C
<b>OLDSMOBILE</b>								
60	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-81320-1C	82330 (Clo.) 82460 (Conv.)
70	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	82330
98 (Early)	DS PS	RB-11 "	AL-60 "	CHM-1-1		G-81861-C G-81860-C		81303-1J
98 (Late)	DS PS	RB-11 "	AL-60 "	CHM-1-1		G-81861-3C G-81860-3C		81303-1J
<b>PACKARD</b>								
All	DS PS	TAU-11 or WLA-778-11" C	AL-150 " ✓	CSM-102-1		G-81947 G-81946		81170-1J
<b>PLYMOUTH</b>								
Closed	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-51-A		H-81576-4 H-81576-5	G-78625-12J G-78626-12J	78628-3J
Conv.	DS PS	TAU-8½ or WLA-778-8½" C	AL-60 "	SK-54-1		H-79363-1C H-79362-1C	G-79332-1C G-79333-1C	78628-3J
Sta. Wagon	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-54-3		H-79363-1C H-79362-1C	G-79332-1C G-79333-1C	78628-3J
<b>PONTIAC</b>								
"A" Torpedo	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	80060
Sta. Wagon & "B" Streamliner	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	80060
<b>STUDEBAKER</b>								
All Flat Shield	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-3		G-81110 G-81109		81339-J
All Curved Shield	DS PS	RB-10 "	AL-60 "	CSM-101-3		G-81110 G-81109		81339-J
Truck (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-436-2 KSB-436-3				79271-C 79271-C
Truck (Late)	DS PS	TAU-8½ or WLA-778-8½" C	AL-60 "	CSM-108		H-82643-1 "	G-82531 G-82530	81339-3J
<b>WILLYS</b>								
Sta. Wagon	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		G-81490 G-81489		81170-2J
Jeepster	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		G-82557-C G-82556-C		81170-2J
Jeep	DS PS	TAU-9 or U-778-9" C	AL-60 "	S-583-27				
Truck	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		G-81490 G-81489		81170-2J

✓ Convertible Arm AL-60

1947

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50 Super 70 Roadmaster	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	CSM-101-1		G-81300-C G-81301-C		81303-J
40 Special	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	80060
<b>CADILLAC</b>								
75	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-7-1		H-79105-2C H-79106-2C	G-80131-C G-80132-C	79020
60, 62	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	79020
61	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	79020
<b>CHEVROLET</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	79020
Trucks (Early)	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600 L KSB-600-1R	KSB-404 KSB-404-1			
Trucks (Late)	DS PS	TAU-10 or U-778-10" C	AL-150 "	SSM-412-2		H-81684-1 "	G-81552 G-81553	77930-24C
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "					
<b>CROSLEY</b>								
Closed CC-47	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-457-1 KSB-457				
<b>DE SOTO</b>								
All - with Elec. Wipers	DS PS	TAU-11 "	AL-150 "					
Taxi	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-1		G-81411 G-81412		81170-1J
<b>DODGE</b>								
All - with Vacuum Wipers	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-51-5A		H-81592-4 H-81592-5	G-79218-1J G-79219-1J	78628-1J
Trucks	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-406 KSB-406-1			
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "					
<b>FORD</b>								
All - Early	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-1-8A		H-79348-1J "	G-79340-1JJ G-79341-1JJ	80109-C
All - Late	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-114			G-82156 (Unitized)	81184-J
Trucks - Stationary Shield	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-416-3 KSB-416-2				78616-5C
Trucks - C.O.E.	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-383-1 KSB-384-1			
<b>HUDSON</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-403-4A		H-78673-2C H-78674-2C	G-78662-2C G-78663-2C	77930-22C



## CAR SPECIFICATIONS

1947

35


MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>KAISER-FRAZER</b>								
All	DS PS	TAU-11 or WLA-778-11" C	AL-60 "	CSM-101-3		G-81492 G-81491		81170-2J
<b>LINCOLN</b>								
Std. Lincoln	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-5-5A		H-78592-2C "	G-78593-2C G-78594-2C	79549-2PN
Continental	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-5-5A		H-78821-2S "	G-78822-2S G-78823-2S	79966-C
<b>MERCURY</b>								
All - Early	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-1-8A		H-79348-1J "	G-79340-1JJ G-79341-1JJ	80109-C
All - Late	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-114			G-82156 (Unitized)	81184-J
<b>NASH</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-408		H-79314-1J "	G-79311-JJ "	79310-2C
<b>OLDSMOBILE</b>								
All - 66	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-81320-1C	81050
Closed 76, 78	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	81050
All - 98	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	81050
<b>PACKARD</b>								
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "	For Complete Replacement Order SP. 2725-A				
<b>PLYMOUTH</b>								
Closed	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-51-5A		H-81576-4 H-81576-5	G-78625-12J G-78626-12J	78628-3J
Conv., Sta. Wagon	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	SK-54-1		H-79363-1C H-79362-1C	G-79332-1C G-79333-1C	78628-3J
<b>PONTIAC</b>								
Clo., Conv. 6MA 8MA	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	80060
Clo., Sta. Wagon 6MB, 8MB	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	80060
<b>STUDEBAKER</b>								
CI - Champion Commander	DS PS	TAU-10 (flat) RB-10 (curved)	AL-60 "	CSM-101-3		G-81110 G-81109		81339-J
Trucks	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-436-2 KSB-436-3				79271-C 79271-C
<b>WILLYS</b>								
Sta. Wagon Truck	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-2		G-81490 G-81489		81170-2J
Jeep	DS PS	TAU-9 or U-778-9" C	AL-60 "	S-583-27	S-583-31			

1946

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
Cl. Conv. 50-70	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	CSM-101-1 "		G-81300-C G-81301-C		81303-J
Cl. 40	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-102-8A "		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	80060
<b>CADILLAC</b>								
Cl. 75	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-7-1 "		H-79105-2C H-79106-2C	G-80131-1C G-80132-1C	79020
Cl. 60, 62 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A "		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	79020
Cl. 60, 62 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A "		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	79020
Cl. 61	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A "		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	79020
<b>CHEVROLET</b>								
All (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A "		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	79020
All (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A "		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	79020
Truck	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-L KSB-600-1R	KSB-404 KSB-404-1			
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "					
<b>DE SOTO</b>								
Taxi	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	CSM-101-1 "		G-81411 G-81412		81170-1J
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "					
<b>DODGE</b>								
Closed Dlx. (Early)	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A "	SK-51	H-79223-1J H-79227-1J	G-79218-JJ G-79219-JJ	78678-1J
Closed Dlx. (Late)	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-51-5A "	SK-57	H-81592-4 H-81592-5	G-79218-1J G-79219-1J	78628-1J
Truck	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-406 KSB-406-1			
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "					
<b>FORD</b>								
Closed	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-1-8A "		H-79348-1J "	G-79340-1JJ G-79341-1JJ	80109-C
Conv.	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-1-8A "		H-79348-1J "	G-79340-1JJ G-79341-1JJ	80109-C
Truck - Swing Shield	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-418-2 KSB-418-3			
Truck - Sta- tionary Shield	PS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-416-3 KSB-416-2				78616-5C
Truck - C.O.E.	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-383-1 KSB-384-1			
<b>HUDSON</b>								
Clo. (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-403-4A "		H-78673-2C H-78674-2C	G-78662-1C G-78663-1C	77930-22C
Clo. (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-403-4A "		H-78673-2C H-78674-2C	G-78662-2C G-78663-2C	77930-22C



## CAR SPECIFICATIONS


1946

37


MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>HUDSON</b> Cont'd.								
Conv. (Early)	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	SSM-403-4A		H-78673-2C H-78674-2C	G-78662-1C G-78663-1C	77930-22C
Conv. (Late)	DS PS	TAU-8½" or U-778-8½" C	AL-60 "	SSM-403-4A		H-78673-2C H-78674-2C	G-78662-2C G-78663-2C	77930-22C
<b>LINCOLN</b>								
Std. Lincoln	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-5-5A		H-78592-2C "	G-78593-2C G-78594-2C	79549-2PN
Continental	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-5-5A		H-78821-2S "	G-78822-2S G-78823-2S	79966-C
<b>MERCURY</b>								
All	DS PS	TAU-9 or WLA-778-9" C	AL-60 "	SSR-1-8A		H-79348-1J "	G-79340-1JJ G-79341-1JJ	80109-C
<b>NASH</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-408		H-79314-1J "	G-79311-JJ "	79310-2C
<b>OLDSMOBILE</b>								
60 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	81050
60 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-81320-1C	81050
70 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	81050
70 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	81050
90	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A	SSR-4-5	H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	81050
<b>PACKARD</b>								
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "	For Complete Replacement Order SP. 2725-A				
<b>PLYMOUTH</b>								
Clo. (Early)	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-78680-2J H-78672-2J	G-78625-JJ G-78626-JJ	78628-3J
Clo. (Late)	DS PS	TAU-10 or WLA-778-10" C	AL-60 "	SK-51-5A		H-81576-4 H-81576-5	G-78625-12J G-78626-12J	78628-3J
Conv. Sta. Wagon	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
<b>PONTIAC</b>								
25 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	80060
25 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	80060
26 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	80060
26 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	80060
<b>STUDEBAKER</b>								
Champion	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-107		H-79269-1J "	G-79260-JJ G-79261-JJ	79271-3C
Truck	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-436-2 KSB-436-3				79271-C
<b>WILLYS</b>								
Jeep & Truck	DS PS	TAU-9 or U-778-9" C	AL-60	S-583-27	For Complete Right Hand Set Order SP. 2475-1A			

1942

## CAR SPECIFICATIONS



MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
50-70 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-1C G-79942-1C	80060
50-70 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	80060
40-60-90 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-2C G-79044-2C	80060
40-60-90 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	80060
42 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79405-2C H-79406-2C	G-79403-1C G-79404-1C	80060
42 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79405-2C H-79406-2C	G-79403-2C G-79404-2C	80060
<b>CADILLAC</b>								
60, 62	DS PS	TAU-9 or U-778-9"	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	79020
61, 63, 67	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	79020
75	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79105-2C H-79106-2C	G-80131-C G-80132-C	79020
<b>CHEVROLET</b>								
All (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-1C G-79093-C	79020
All (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	79020
Truck	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-L KSB-600-1R	KSB-404 KSB-404-1			
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "	For Complete Replacement Order SP. 2438-1A				
<b>DE SOTO</b>								
Closed S10 Standard	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-79223-1J H-79227-1J	G-79218-J G-79219-J	78628-4J
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "	For Complete Replacement Order SP. 2438-1A				
<b>DODGE</b>								
Closed D22 Economy	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-79223-1J H-79227-1J	G-79218-J G-79219-J	78628-1J
Sta. Wagon D22	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
Truck All Models	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-406 KSB-406-1			
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "	For Complete Replacement Order SP. 2438-1A				
<b>FORD</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-1-8A		H-79348-1J "	G-79340-J G-79341-J	80109-C
Truck Swing Shield	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-418-2 KSB-418-3			
Truck - Stationary Shield	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-416-3 KSB-416-2				78616-5C
Truck - C.O.E.	DS PS	TAU-8 1/4 or U-778-8 1/4" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-383-1 KSB-384-1			



## CAR SPECIFICATIONS

1942

39


MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>HUDSON</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-403-4A		H-78673-2C H-78674-2C	G-78662-1C G-78663-1C	77930-22A
<b>LINCOLN</b>								
Closed, Conv. Zephyr	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-5-5A		H-78592-2C "	G-78593-1C G-78594-1C	79549-2C
<b>MERCURY</b>								
All Models	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-1-8A		H-79348-1J "	G-79340-J G-79341-J	80109-C
<b>NASH</b>								
All Models	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-408		H-79314-1J "	G-79311-J "	79310-2C
<b>OLDSMOBILE</b>								
60 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-1C G-79093-C	80060
60 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	80060
70 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-3C G-79044-C	80060
70 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-3C	80060
90 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-C G-79942-C	80060
90 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-104-7A		H-79946-2C H-79945-2C	G-79943-2C G-79942-2C	80060
<b>PACKARD</b>								
Trico Parts Elec. Wipers	DS PS	TAU-11 "	AL-150 "					
<b>PLYMOUTH</b>								
Closed	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-78680-2J H-78672-2J	G-78625-J G-78626-J	78628-3J
Sta. Wagon Suburban	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
<b>PONTIAC</b>								
Cl. Conv. 25, 27 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-1C G-79093-C	80060
Cl. Conv. 25, 27 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-103-8A		H-79083-5C H-79079-4C	G-79094-4C G-79093-3C	80060
Closed 26 & 28 (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-3C G-79044-C	80060
Closed 26 & 28 (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-102-8A		H-79077-8C H-79078-7C	G-79043-4C G-79044-5C	80060
<b>STUDEBAKER</b>								
3G Std. Champ	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-436-2 KSB-436-3				79271-C
4G Dix. Champ	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-107		H-79269-1J "	G-79260-J G-79261-J	79271-3C
Truck M15-M16	DS DS	TAU-9 or U-778-9" C	AL-60 "	KSB-436-2 KSB-436-3				79271-C
<b>WILLYS</b>								
Cl. 442 Sedan	DS PS	TAU-9 or U-778-9" C	AL-60 "	SK-53			G-79150-J G-79151-J	78616-7C
Truck C.O.E.	DS PS	TAU-12 or U-778-12" C	AL-60 "	S-527-2				

1941

## CAR SPECIFICATIONS




MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>BUICK</b>								
Closed 40-60-90	DS PS	TAU-9 or U-779-9" C	AL-60 "	SSM-402		H-79077-8C H-79078-7C	G-79043-1C G-79044-1C	79050-2C
Cl. & Conv. 50-70	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-101-1		H-79105-2C H-79106-2C	G-79103-1C G-79104-1C	79050-2C
Cl. & Conv. 42	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-406		H-79405-2C H-79406-2C	G-79403-C G-79404-C	79050-2C
<b>CADILLAC</b>								
Clo. 60 Special	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-23		H-77772-4C H-77773-4C	G-78585-2C G-78586-2C	77930-21C
Clo. 62, 75 Conv. 62	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-101-1		H-79105-2C H-79106-2C	G-79103-1C G-79104-1C	79050-3C
Clo. 61, 63, 67 Conv. 61, 63	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-402		H-79077-8C H-79078-7C	G-79043-1C G-79044-1C	79050-3C
<b>CHEVROLET</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-405		H-79083-5C H-79079-4C	G-79094-C G-79093-C	79089-C
Truck All Models	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-L KSB-600-1R	KSB-404 KSB-404-1			
<b>CHRYSLER</b>								
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "	For Complete Replacement Order SP. 2438-A				
<b>DE SOTO</b>								
Closed S8 Std.	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-79223-1J H-79227-1J	G-79218-J G-79219-J	78628-4J
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "	For Complete Replacement Order SP. 2438-A				
<b>DODGE</b>								
Clo. D 19	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-79223-1J H-79227-1J	G-79218-J G-79219-J	78628-4J
Sta. Wagon D 20	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
Conv. D 19	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
Trico Parts Elec. Wipers	DS PS	TAU-10 "	AL-150 "	For Complete Replacement Order SP. 2438-A				
Truck All Models with Vac. Wipers	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-406 KSB-406-1			
<b>FORD</b>								
All Deluxe Economy (Early)	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-101-1		H-79348-1J "	G-79340-J G-79341-J	79549-C
Economy (Late)	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSR-1-3				79549-C
Sedan Dlv.	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-232-1		H-78707-3C H-78708-1C	G-78702-1C G-78703-1C	78710-1C
Truck-Stationary Shield	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-416-3 KSB-416-2				78616-5C
Truck-Swing Shield	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-418-2 KSB-418-3			
Truck C.O.E.	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-3R KSB-600-2L	KSB-384-1 KSB-383-1			
<b>HUDSON</b>								
All	DS PS	TAU-9 Clo. TAU-8½ Conv.	AL-60 "	SSM-403-4A		H-78673-2C H-78674-2C	G-78662-1C G-78663-1C	77930-19A




## CAR SPECIFICATIONS

1941


MAKE AND BODY MODEL	SIDE	BLADE	ARM	MOTOR		LINKAGE		CONTROL
				SERVICE NUMBER	CAN USE	HEADS AND CABLES	CAN USE COMPLETE LINKAGE	
<b>LINCOLN</b>								
Clo. & Conv. Zephyr Std. & Dlx.	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-24		H-78592-2C "	G-78593-1C G-78594-1C	76410-8C
Conv. Continental	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-29-1		H-78821-2S "	G-78822-1S G-78823-1S	76410-8S
<b>MERCURY</b>								
All	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSR-101-1		H-79348-1J "	G-79340-J G-79341-J	79549-C
<b>NASH</b>								
Closed 600 Special	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-437-2 KSB-437-3				79271-2C
600 Dlx. & Ambassador	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-408		H-79314-1J "	G-79311-J "	79310-2C
<b>OLDSMOBILE</b>								
Closed 70	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-402		H-79077-8C H-79078-7C	G-79043-1C G-79044-C	79050-C
Cl. & Conv. 90	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-101-1		H-79105-2C H-79106-2C	G-79103-C G-79104-C	79050-C
Cl. & Conv. 60	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-406		H-79083-5C H-79079-4C	G-79094-C G-79093-C	79050-C
<b>PACKARD</b>								
Clo. & Conv. Vac. Wipers	DS PS	TAU-11 or U-778-11" C	AL-60 "	SSM-404-1		G-79132-J (Unitized)		77533-2C
Trico Parts Elec. Wipers	DS PS	TAU-11 or U-778-11" C	AL-150 "					
<b>PLYMOUTH</b>								
Clo. Panel, Utility Sedan	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-51-5A		H-78680-2J H-78672-2J	G-78625-J G-78626-J	78628-3J
Conv.	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
Suburban Sta. Wagon	DS PS	TAU-10 or U-778-10" C	AL-60 "	SK-54		H-79363-1C H-79362-1C	G-79332-C G-79333-C	78628-3J
Truck ½ Ton Pick-Up	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	KSB-600-2L KSB-600-3R	KSB-406 KSB-406-1			
<b>PONTIAC</b>								
Closed 26 & 28	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-402		H-79077-8C H-79078-7C	G-79043-1C G-79044-C	79050-1C
Clo. Sta. Wagon 24 & 29	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-101-1		H-79105-2C H-79106-2C	G-79103-C G-79104-C	79050-1C
Clo., Conv. 25 & 27	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-406		H-79083-5C H-79079-4C	G-79094-C G-79093-C	79050-1C
<b>STUDEBAKER</b>								
Clo. Std. Champ Truck 5M, 15M, 16M	DS PS	TAU-9 or U-778-9" C	AL-60 "	KSB-436 KSB-436-3				79271-C
Cl. Deluxe Champ	DS PS	TAU-9 or U-778-9" C	AL-60 "	SSM-107		H-79269-1J "	G-79260-J G-79261-J	79271-3C
<b>WILLYS</b>								
Cl. 441 Sedan	DS PS	TAU-9 or U-778-9" C	AL-60 "	SK-53			G-79150-J G-79151-J	78616-4C
Coupe 441, Sta. Wagon Pick-Up	DS PS	TAU-8½ or U-778-8½" C	AL-60 "	SK-53			G-79150-J G-79151-J	78616-4C
Truck C.O.E.	DS PS	TAU-11 or U-778-11" C	AL-60 "	S-527-2 S-527-3				



## WINDSHIELD WIPER MAINTENANCE SERVICE




Trico windshield wiper equipment is built to fit vehicle body. Service procedure is determined by wiper location and construction engineered for various body types. You'll find all wiper installations charted and described in Trico Service and Specification Manual DM-3000.



This complete parts and service specification manual combines numerical parts charts and service instructions with complete by-car listing of all original equip-

ment Trico Wipers for passenger cars and commercial vehicles. Complete illustrated parts information is provided on all cars 1935 to present.


### TROUBLE SHOOTING SIMPLIFIED



#### 1 WIPER RUNS 1 WAY ONLY

... with engine running — check —

- A. Sticky, broken, or worn valve parts in motor.




- B. Worn piston in wiper motor.

#### RECOMMENDED SERVICE:


- A. Clean valve mechanism and valve facing. Replace broken or worn parts.
- B. Replace with NEW wiper motor. A NEW motor costs little more than a repair job.

#### 2 WIPER RUNS SLOW

... with engine running — check —



- A. Restricted or leaking vacuum lines or manifold connection plugged with carbon.




- B. Broken diaphragm in vacuum pump.

To check, remove vacuum line and test for vacuum supply.

#### RECOMMENDED SERVICE:

- A. Install NEW vacuum lines.
- B. Repair or replace vacuum pump.



#### 3 WIPER SQUEAKS

... with engine running — check —


- A. Dry linkage shaft bearing.

#### RECOMMENDED SERVICE:


Use light penetrating oil on all parts indicated by arrows. Squeaks in linkage operation can be eliminated by proper lubrication at all points specified.

#### 4 WIPER WON'T START

... with engine running — check —



- A. No vacuum at wiper motor.
- B. Bind in wiper linkages.




- C. Broken valve parts in wiper motor.

#### RECOMMENDED SERVICE:

- A. Check vacuum line to manifold ... replace sections broken, kinked or porous.
- B. Replace linkage ... use liberal trade-in allowance plan.
- C. Clean valve mechanism; replace broken parts.

#### 5 WIPER HAS UNEVEN STROKE

(Over Travel or Short Stroke)




- A. Check loose chains.
- B. Check loose cables.
- C. Arms incorrectly attached.
- D. Motor out of position.

## WINDSHIELD WIPER MAINTENANCE SERVICE

### RECOMMENDED SERVICE:

- A. Reposition lower segment and take up slack in chains. If badly worn, replace with new linkage.
- B. Reset cable tensioners to take up slack in cable. See pages 43 and 44.
- C. Remove wiper arms — turn wiper to parked position — reinstall arms in correct parked position.
- D. Loosen motor attachment screws — start wiper — turn to parked position — motor will auto-

matically locate in correct mounting position, then tighten attachment screws.




### 6 WIPER SLOWS DOWN — AT CENTER OF STROKE


For complete service information on adjustment of Cables with Built-in Torsion Spring take-up, see pages 43 and 44.

### SYNCHRONIZED WIPER OPERATION


#### VACUUM WIPER MOTOR USED WITH GEAR, CHAIN, OR PIVOT LINKAGES




1. Install linkages and tighten attachment screws.
2. Reinstall motor but do not tighten screws.
3. Attach linkages to motor.
4. **IMPORTANT:** To obtain correct alignment, follow this procedure: With linkage arms connected to wiper motor, set the linkage drive levers in a vertical position (see illustration); then tighten the motor mounting screws; start the car engine; turn wiper off, and permit the wiper to automatically assume the parked position before installing wiper arms.
5. With wiper motor off ... install arms and blades in parked position. Note: In normal wiper operation if wiper slaps or stroke is too short, follow service procedure recommended in step No. 5, page 42.



#### VACUUM WIPER MOTOR USED WITH CABLE DRIVEN LINKAGES




For proper adjustment of Type "A" tensioner, loosen nut and tap stud lightly to unseat lock washer. This permits the cable tensioner to automatically take up any slack in the cables. Re-tighten the nut firmly to hold the pulleys in the new position. Each tensioner must be adjusted separately. Check to see that cable runs in center of pulley groove.



Type "B" tensioner provides for automatic take-up of any slack in the cables. No adjustment required. To remove or reinstall cables, release ratchet locking spring from ratchet teeth with finger pressure and manually move tensioner toward center of car to relieve pressure on cables.


New ratchet type tensioners as supplied by factory are assembled with a lock-out pin (fig. A) which must be removed after tensioner is installed to permit automatic take-up of cables.

After installing tensioner check to see that cable runs in center of pulley groove.



## WINDSHIELD WIPER MAINTENANCE SERVICE

VACUUM WIPER MOTOR USED WITH  
CABLE DRIVEN LINKAGES HAVING  
BUILT-IN TORSION SPRING TAKE-UP



Built-in Torsion Spring take-up permits simplified cable tension adjustment.

### CABLE ADJUSTMENT PROCEDURE

Wiper slow down at center of stroke indicates cables are too tight; proceed as follows:

1. Move the wiper arms by hand up into the center of the arc, midway between the two extremities of travel. See Fig. 1. With arms in this position, motor drive lever should be in vertical position. **IMPORTANT:** Make sure motor drive lever remains in vertical position during all steps of adjustment procedure. See Fig. 1A.




FIG. 1

### DIAGRAM SHOWING HOOK-UP OF CABLE ENDS TO DRIVE LEVER DRUMS




FIG. 1A

2. While the arms are in center position, remove the arm to reach the tensioning locking screw in the end of the shaft. Do not alter position of shaft.
3. Loosen the screw and give it a full turn beyond its loosened position. Tap the screw end. See Fig. 2. and allow the spring take-up to properly adjust the cable loading.



FIG. 2

FIG. 3


On late model 1953 cars and subsequent production no screw is located in end of shaft. To retension cables, press knurled driver (fig. 3) to allow spring take-up to automatically adjust cables.

After tensioning as above indicated, turn wiper on . . . then off . . . to allow wiper to park under its own vacuum. Reinstall the arms and blades in the parked position.

### CABLE REMOVAL PROCEDURE

Release tension by loosening screw in shaft (fig. 2) or push in on driver (fig. 3). Hold this position, reach under dash and pull cables to produce a slack. Tighten screw (fig. 2) or release driver (fig. 3) to hold cables in slack position. Disconnect cable end at motor drive lever or drum.


### CABLE EQUALIZER SPRING



The correct position of the equalizer spring when the arms and blades are in parked position shown at (A).

To reset equalizer spring assembly, remove from linkage shaft by applying pressure on lock spring as shown (B). Reset to correct position.

### CENTRALIZED CABLE TENSIONERS



Centralized cable tensioners, first used on 1956 Lincoln and later production of Ford and Mercury cars, provide a simplified retensioning procedure at the motor drive drum.


Two types are furnished as original equipment, type "A" illustrated above, provides automatic spring pressure to tension cables. Type "B" holds cables at proper tension through a lock nut. Complete installation and tensioning instructions are provided by year, make, and model of car in DM-3000 Specification Manual.

# WINDSHIELD WASHER CHECK

## GENERAL INSTRUCTIONS

All checks to be made with car engine running and adequate water supply in jar.

1. **CHECK VACUUM** ... Remove vacuum line from washer pump. Hold finger over end of hose ... press control button if no vacuum, check hose line, tee connections and control. If vacuum is O.K. proceed to next step.
2. **CHECK WATER AT PUMP** ... Remove water hose at pump. Press control button. If pump fails to deliver water this may be due to internal clogging ... calcium deposits from hard water or the use of spurious solvents. If water squirts from pump ... reinstall hose and proceed to next step.
3. **CHECK WATER AT NOZZLES** ... Remove nozzles ... press control button. If water flows from nozzle port, clean or replace nozzles. If no water appears, check for clogged or broken hose.





## Coordinated WASHER

To check follow general instructions.

Special instructions follow:


1. **WIPER RUNS TOO LONG OR TOO SHORT A PERIOD** ... Timing adjustment screw regulates wiper cycle ... turn clockwise to lengthen operation and counterclockwise to shorten.
2. **WASHER SQUIRTS . . . WIPER WON'T START**. Check line to coupler for obstruction. If line is clear, apply vacuum direct to coupler. If coupler operates, service pump ... if coupler fails to operate, service coupler.
3. **WASHER SQUIRTS . . . WIPER WON'T STOP**. Remove timing and adjustment screw. Press control several times to flush out obstruction. Reinstate screw and adjust wiper timing cycle.



## Instant Action WASHER

To check follow the four steps outlined under general instructions.

NOTE: When servicing the STANDARD MODEL ... if check shows the pump to be inoperative, service with INSTANT ACTION PUMP and JAR. This will fit present bracket assembly.



## Foot Operated WASHER

Foot Operated Washer check.

1. **CHECK WATER AT NOZZLES** ... Remove washer nozzles. Press foot lever. If water flows from nozzle parts, clean or replace nozzles. If water fails to appear proceed to next step.
2. **CHECK HOSE LINES** ... Remove hose lines and check for obstruction or bind. If hose is O.K. proceed to next step.
3. **CHECK FOOT LEVER** . . . Remove hose at foot pump. Hold finger over hose connection on pump and press lever to test pump action. If pump operates O.K. service washer cover assembly.



## WASHER CHECK • WIPER ARM INSTALLATION


### Coordinated WASHER

with self-starting . . . self-stopping control for electric wipers.

To check follow general instructions.


Special instructions:

- 1. WIPER RUNS TOO LONG OR TOO SHORT A PERIOD . . .** Timing adjustment screw regulates wiping cycle . . . turn clockwise to lengthen operation and counterclockwise to shorten.
- 2. WASHER SQUIRTS . . . WIPER WON'T START.** Check wire harness and ground connection. Make sure electrical contact is being made through all connections.
- 3. WASHER SQUIRTS . . . WIPER WON'T STOP.** Remove timing and adjustment screw. Press control several times to flush out obstruction. Reinstall screw and adjust wiper timing cycle.




## WINDSHIELD WIPER ARM INSTALLATION

### Adjustable Wiper Arms listed on page 3




#### Knurled Shaft . . .

No adaptors required. Equipment on most cars since 1941. Just press arm on shaft.




#### Threaded Shaft . . .

Convert to knurled type with adaptor and lock nut. Equipment on most cars, 1936 to 1940 and continuing on electric wipers 1941 to present.




#### Blade Angle . . .

Swivel at blade connector permits setting blade at correct angle for each windshield.



#### Blade Attachment . . .




Wiper arm is packed with wrist action clip installed. Bayonet clip is supplied in package with each arm for conversion when needed.



#### Arm Puller Tool . . .

For faster arm service use Trico Arm Puller Tool No. 32438-2.

### Cam-O-Matic Wiper Arms . . .



1. Position arm head on shaft — in park position — elongate arm to maximum position.

2. Push in on arm head, allowing the cam follower to line up with edge of cam.

3. Release the arm and allow follower to engage cam.

#### Replacement of Cam Follower Shoe


To remove, push in and up on shoe locking lug with small screw driver and pry out.

To install shoe, press in place until lug engages hole in cam follower.


Cam-O-Matic Wiper Arms are designed for operation with the Cam-O-Matic wiper system first used on 1955 Cadillac, Packard, and Buick Roadmaster. See page 3.

## WIPER BLADE INSTALLATION AND REMOVAL


47




### Bayonet INSTALLATION




### Wrist-Action INSTALLATION




### Bayonet REMOVAL




### Wrist-Action REMOVAL



### Pin Type INSTALLATION




### Pin Type INSTALLATION



### Pin Type REMOVAL



### Pin Type REMOVAL




\* for earlier model pull blade to lock

## Sweep Selector

furnished on RB-12  
and ALL TAU Blades.

3 self locking positions permit size  
interchangeability. Select blade  
from application chart. Move  
sweep-selector so that blade matches  
outside diameter of wiping arc.



# Make your Merchandising Pay Off!

**SELL 'EM  
SAFE VISION**  
at the logical point of sale  
FROM THE  
*Trico*  
**DISPLAYMOBILE**


D-102-57

Any one of the thousands of dealers who use the Trico Displaymobile will tell you that this is the proven way to move Blade sales... because it puts your merchandise out front where the car owner will see it. Use on the service floor... in the lubricitorium... display in the service station... in front next to the door, or roll out to the island near the gas pump. Always place the Displaymobile at the logical point of sale... it will remind you and your customers of windshield safety service.

Available NO CHARGE



**these SIGNS Sell Safety...**



DM-4250-1

**TRICO Weather-Wise Outdoor Thermometer**

- For outdoor use
- Aluminum case
- Guaranteed accuracy
- 15" diameter case

Helps you merchandise Trico Wiper Blades. Reminds your customers of Wiper Blades all year 'round.

**TRICO Arm and Blade Window Sign**

- Vinyl plastic
- Pressure sensitive backing
- Adheres to any surface
- No water required

**TRICO Dealer Identification Sign**

Designed for window, counter, or wall display.


- Molded plastic face
- All-metal back
- Brilliant illumination
- Ideal night light



DM-438-1



DM-4160-1



**DM-1200-59**

DATE OF ISSUE 4/59  
Supersedes DM-1200-56

*Safe Driving*

**PRODUCTS**




**TRICO PRODUCTS CORPORATION . BUFFALO 3, N. Y.**

ORIGINATORS OF WINDSHIELD WIPERS USED BY THE MOTOR CAR INDUSTRY SINCE 1917

FOR DISTRIBUTION TO TRICO  
FRANCHISE ACCOUNTS ONLY

DATE OF ISSUE  
JULY 1, 1959

SUPERSEDES DM-1503-58  
NUMERICAL PRICE LIST



# NUMERICAL PRICE LIST

For use with DM-1200  
Specification and Sales Catalog

**PRICES SUBJECT TO CHANGE WITHOUT NOTICE**

(Resale prices are suggested, not compulsory)


**TRICO PRODUCTS CORPORATION, BUFFALO, N. Y.**

WORLD'S LARGEST MANUFACTURER OF VACUUM EQUIPMENT FOR MOTOR CARS

## NUMERICAL PRICE LIST

6/59

FOR USE WITH DM-1200



PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
AWB-1	6.00	W/S/W Base Unit	AWS-3-12	5.40	W/S/W Service Pump
AWF-1	7.50	W/S Washer (Foot Model)	AWK-4	2.50	W/S/W Installation Kit
AWK-1	2.50	W/S/W Installation Kit	AWS-4	5.00	W/S/W Service Pump
AWP-1	13.50	W/S Washer (Pressure)	SBM-4	12.10	Motor
AWS-1	2.30	W/S/W Service Pump	SS-4	7.50	Motor
AWS-1-1	2.30	W/S/W Service Pump	AWK-4-1	3.25	W/S/W Installation Kit
GC-1A	.10 net	Sprayer	AWK-4-2	3.25	W/S/W Installation Kit
KCX-1	6.00	Motor	AWK-5	2.50	W/S/W Installation Kit
MA-1	.65	Manifold Adaptor	GC-5	3.50	Glass Cleaner Concentrate
SS-1	7.50	Motor	SS-5	7.50	Motor
CHM-1-1	9.25	Motor	SSR-5-5A	7.50	Motor
CPD-1-1	10.50	Motor	AWS-5-12	6.50	W/S/W Service Pump
CHS-1-2	10.75	Motor	AWS-6	5.50	W/S/W Service Pump
CPD-1-3	10.50	Motor	AWK-6-1	2.50	W/S/W Installation
KSR-1-3	6.00	Motor	AWK-6-2	2.50	W/S/W Installation Kit
CHS-1-4	12.25	Motor	AWK-6-3	3.25	W/S/W Installation Kit
CPD-1-4	10.50	Motor	AWK-6-4	3.25	W/S/W Installation Kit
CPD-1-5	10.50	Motor	AWK-6-5	3.25	W/S/W Installation Kit
CHS-1-6	10.75	Motor	AWK-7	2.50	W/S/W Installation Kit
CPD-1-7	10.50	Motor	AWS-7	4.25	W/S/W Service Pump
CHS-1-8	10.75	Motor	SK-7	6.75	Motor
SSR-1-8A	7.50	Motor	SS-7	7.70	Motor
CHS-1-10	10.75	Motor	SSR-7-1	7.50	Motor
CHM-1-13	9.25	Motor	AWF-8	9.50	W/S Washer (Foot Powered)
CHM-1-19	9.25	Motor	AWK-8	2.50	W/S/W Installation Kit
CHM-1-31	9.25	Motor	SS-8	7.50	Motor
AWB-2	6.00	W/S/W Base Unit	TAU-8½	.85	8½" Triple Action Blade
AWK-2	2.50	W/S/W Installation Kit	AWF-9	9.50	W/S Washer (Foot Powered)
AWS-2	3.75	W/S/W Service Pump	AWK-9	2.50	W/S/W Installation Kit
GC-2A	.35	Glass Cleaner (8 oz.)	KCX-9	6.00	Motor
AL-2E	.80	Adjustable Arm	SBM-9	12.10	Motor
SS-2	7.50	Motor	TAU-9	.85	9" Triple Action Blade
CPD-2-1	10.50	Motor	AWK-9-1	2.50	W/S/W Installation Kit
CPLS-2-1	13.25	Motor	AWK-9-3	3.25	W/S/W Installation Kit
CPDM-2-2	13.50	Motor	AWB-10	7.00	W/S/W Base Unit
CPLS-2-3	13.25	Motor	AWK-10	2.50	W/S/W Installation Kit
CSM-2-3	8.50	Motor	RB-10	1.60	10" Rainbow Blade
CPD-2-5	10.50	Motor	AV-10A	60.00	Claireon
CPD-2-7	10.50	Motor	AV-10B	60.00	Claireon
CPD-2-15	11.50	Motor	SBM-10	12.10	Motor
CPDM-2-17	12.50	Motor	TAU-10	.85	10" Triple Action Blade
CPDM-2-19	12.50	Motor	SK-10G	8.00	Motor
CPDM-2-21	12.50	Motor	SS-10-1	7.50	Motor
AWK-3	2.50	W/S/W Installation Kit	SS-10-2	7.50	Motor
GC-3A	2.50	Glass Cleaner (1 gal.)	CHM-10-3	9.25	Motor
MA-3	.65	Manifold Adaptor	CHM-10-5	9.25	Motor
SS-3G	8.50	Motor	CHM-10-7	9.50	Motor
AWS-3-6	5.40	W/S/W Service Pump			



# NUMERICAL PRICE LIST

2

FOR USE WITH DM-1200

6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
CHM-10-9	9.50	Motor	SK-12	6.75	Motor
CHM-10-11	9.50	Motor	SS-12	7.50	Motor
CPH-10-11	10.75	Motor	TAU-12	.85	12" Triple Action Blade
CPH-10-15	9.75	Motor	AWK-12-1	2.50	W/S/W Installation Kit
CPH-10-18	9.75	Motor	RB-12-1	1.60	12" Rainbow Blade
CPH-10-19	9.75	Motor	CPM-12-1	9.25	Motor
CPH-10-20	9.75	Motor	PR-12-2	1.60	12" Panoramic Blade
CPH-10-25	9.75	Motor	RB-12-2	1.60	12" Rainbow Blade
CPH-10-27	9.75	Motor	CPH-12-2	9.75	Motor
CPM-10-27	9.50	Motor	CPM-12-3	9.25	Motor
CPH-10-29	9.75	Motor	SK-12-3	6.75	Motor
CPH-10-31	9.75	Motor	CPH-12-4	9.75	Motor
CPH-10-37	9.75	Motor	CPH-12-5	9.75	Motor
CHM-10-39	9.25	Motor	CPM-12-5	9.25	Motor
CPH-10-39	9.75	Motor	CPM-12-7	9.25	Motor
CHM-10-41	9.50	Motor	CPH-12-8	9.75	Motor
CPH-10-41	9.75	Motor	CPM-12-9	9.25	Motor
CPH-10-45	9.75	Motor	CPH-12-10	9.75	Motor
AWF-11	10.50	W/S Washer (Foot Powered)	CPH-12-11	9.75	Motor
AR-11	1.75	11" Arctic Blade	CPM-12-11	9.25	Motor
AWB-11	7.00	W/S/W Base Unit	CPH-12-12	9.75	Motor
AWK-11	2.50	W/S/W Installation Kit	CPH-12-13	12.25	Motor
RB-11	1.60	11" Rainbow Blade	CPM-12-13	9.50	Motor
SBM-11	12.10	Motor	CPM-12-15	9.25	Motor
TAU-11	.85	11" Triple Action Blade	CPM-12-17	10.50	Motor
AR-11-1	1.75	11" Arctic Blade	CPM-12-19	10.50	Motor
CHM-11-1	9.25	Motor	CPH-12-21	9.75	Motor
SK-11-1	6.75	Motor	CPM-12-21	9.50	Motor
SS-11-1	7.50	Motor	CPH-12-23	12.25	Motor
AR-11-2	1.75	11" Arctic Blade	CPM-12-23	9.25	Motor
SS-11-2	7.50	Motor	CPM-12-25	9.25	Motor
CHM-11-3	10.50	Motor	CPM-12-27	9.25	Motor
CHM-11-5	9.25	Motor	CPM-12-29	9.25	Motor
CPH-11-5	9.75	Motor	CPH-12-33	10.75	Motor
CHM-11-7	9.25	Motor	CPH-12-37	12.25	Motor
CPH-11-7	9.75	Motor	CPM-12-39	9.25	Motor
CHM-11-8	9.25	Motor	CPH-12-41	12.25	Motor
CHM-11-9	9.25	Motor	CPM-12-41	9.25	Motor
CHM-11-10	9.25	Motor	CPM-12-45	9.25	Motor
CPH-11-17	10.75	Motor	CPM-12-47	9.25	Motor
CPM-11-19	9.25	Motor	AWK-13	2.50	W/S/W Installation Kit
CPH-11-21	9.75	Motor	SS-13	7.50	Motor
CPH-11-23	12.25	Motor	AWK-13-1	2.50	W/S/W Installation Kit
CPM-11-23	9.25	Motor	RB-13-1	1.75	13" Rainbow Blade
CPH-11-25	12.25	Motor	SK-13-1	6.75	Motor
CPH-11-31	9.75	Motor	AR-13-2	2.00	13" Arctic Blade
CPH-11-33	9.75	Motor	PR-13-2	1.75	13" Panoramic Blade
CPHM-11-39	11.75	Motor	AWK-13-3	3.25	W/S/W Installation Kit
RB-12	1.60	12" Rainbow Blade	CPM-13-3	9.25	Motor
SBM-12	12.10	Motor	AWK-13-4	3.25	W/S/W Installation Kit


## NUMERICAL PRICE LIST

6/59

FOR USE WITH DM-1200



PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
AWK-14	2.50	W/S/W Installation Kit	SK-22	6.75	Motor
SBM-14	12.10	Motor	AW-22-2	11.50	W/S Washer
SS-14	7.50	Motor	AW-22-3	11.50	W/S Washer
AWK-14-1	2.50	W/S/W Installation Kit	SSM-23	7.50	Motor
SBM-14-1	12.10	Motor	SK-23-1	6.75	Motor
AWK-14-2	2.50	W/S/W Installation Kit	AW-23-2	11.50	W/S Washer
AWK-14-4	2.50	W/S/W Installation Kit	AW-24-1	9.50	W/S Washer
AR-15	2.75	15" Arctic Blade	SK-24-1	6.75	Motor
AWK-15	2.50	W/S/W Installation Kit	SBM-25	12.10	Motor
F-15	.12	1 Ft.-1/8" Rubber Hose	SBM-25-1	12.10	Motor
	.80	90" 1/8" Rubber Hose	SK-25-1	6.75	Motor
SK-15	6.75	Motor	SK-26	6.75	Motor
SS-15	7.50	Motor	SBM-27	12.10	Motor
AWK-15-1	3.25	W/S/W Installation Kit	SK-27	6.75	Motor
SBM-15-1	12.10	Motor	KB-29	6.00	Motor
PR-15-2	2.50	15" Panoramic Blade	SBM-29	12.10	Motor
RB-15-2	2.50	15" Rainbow Blade	SBM-29-1	12.10	Motor
AWK-16	2.50	W/S/W Installation Kit	SSM-29-1	7.50	Motor
HF-16	2.50	16" Heavy Duty Blade	SBM-30	12.10	Motor
PR-16	2.50	16" Panoramic Blade	WA-30	.65	Washer Solvent (6 oz.)
SK-16	6.75	Motor	30-1	.55	Zeromix (1 pt.)
WA-16	1.20	Anti-Freeze Solvent	SBM-30-1	12.10	Motor
AWK-16-1	3.25	W/S/W Installation Kit	WA-30-12	7.80	Washer Solvent
RB-16-2	2.50	16" Rainbow Blade	SBM-31	12.10	Motor
AWK-17	2.50	W/S/W Installation Kit	SK-31	6.75	Motor
HF-17	2.50	17" Heavy Duty Blade	SBM-31-1	12.10	Motor
SBM-17	12.10	Motor	SBM-32	12.10	Motor
SK-17	6.75	Motor	SK-32	6.75	Motor
AWK-17-1	2.50	W/S/W Installation Kit	SK-33	6.75	Motor
SBM-17-1	12.10	Motor	SK-36	6.75	Motor
AWK-17-2	3.25	W/S/W Installation Kit	SBM-38	12.10	
AWK-17-3	3.25	W/S/W Installation Kit	SK-38	6.75	Motor
HF-18	2.75	18" Heavy Duty Blade	SBM-38-1	12.10	Motor
SK-18	6.75	Motor	SBM-39-1	12.10	Motor
AWK-19	3.25	W/S/W Installation Kit	SBM-40	12.10	Motor
HF-19	2.75	19" Heavy Duty Blade	SBM-40-1	12.10	Motor
SBM-19	11.55	Motor	SK-41	12.10	Motor
SK-19	6.75	Motor	SBM-41-1	12.10	Motor
SBM-19-1	11.55	Motor	SBM-42	12.10	Motor
AV-20	33.50	Claireon	SBM-43	12.65	Motor
HF-20	3.00	20" Heavy Duty Blade	SK-43	6.75	Motor
P-20	35.00	Claireon	SBM-43-1	12.65	Motor
SBM-20	12.10	Motor	SK-46-1	6.75	Motor
AW-20-1	7.50	W/S Washer	SK-47	6.75	Motor
SBM-20-1	11.55	Motor	SK-48	6.75	Motor
AW-20-3	10.65	W/S Washer	SK-49	6.75	Motor
AW-20-4	10.65	W/S Washer	AWS-50	16.00	Washer Service Kit
AW-20-5	10.65	W/S Washer	AL-50	1.75	Adjustable Arm
AW-20-6	11.50	W/S Washer	FPSC-50	13.75	Power Unit
HF-21	3.00	21" Heavy Duty Blade	SK-50	6.75	Motor
SK-21	6.75	Motor	AWS-51	8.35	Washer Service Kit
SSM-21	7.50	Motor			



# NUMERICAL PRICE LIST

4

FOR USE WITH DM-1200

6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
SBM-51	13.20	Motor	EV-112-1	28.60	Electro-Vac (12 volts)
SBM-51-1	13.20	Motor	D-113	20.00	Arctic Blade Assortment
SK-51-5A	6.75	Motor	CSM-113-1	8.50	Motor
SK-52	6.75	Motor	AW-114	2.00	W/S Washer Parts Pkg.
SK-53	6.75	Motor	CSM-114	8.50	Motor
SK-54	6.75	Motor	KSL-114	6.00	Motor
SK-54-1	6.75	Motor	SSM-114	7.50	Motor
SK-54-3	6.75	Motor	D-115	27.50	Arctic Blade Assort.
SK-55	6.75	Motor	FPSC-115	13.75	Motor
SBM-56	12.10	Motor	CSM-115-1	8.50	Motor
SBM-58-11	12.10	Motor	SSM-117-1	7.50	Motor
AL-60	1.75	Adjustable Arm	CSM-118	8.50	Motor
FPSC-60	13.75	Motor	SSM-118	7.50	Motor
SBM-60	12.10	Motor	CSM-119	8.50	Motor
FPSC-70	13.75	Power Unit	FPSC-120	13.75	Motor
FPSC-75	13.75	Power Unit	SSM-120	7.50	Motor
78-C	.30	Nut	CSM-120-1	8.50	Motor
80	.07	Hose Conn. up to 2" incl.	AW-122	.55	W/S Washer Fittings
FPSC-80	13.75	Power Unit	F-122	.07	Gasket
FPSC-85	13.75	Power Unit	AW-122-3	.75	W/S Washer Fittings
FPSC-90	13.75	Power Unit	F-126-1	.07	Screw
RSB-90	6.00	Motor	AW-128	1.00	W/S Washer Nozzle Pkg.
RSB-91	6.50	Motor			(Can use AW-133)
RSB-99-1	6.00	Motor	AW-128-6	6.00	W/S Washer Nozzle Card
AWC-100	3.50	Co-ordinator			Can use AW-133-6
FPSC-100	13.75	Power Unit	AW-129	1.00	W/S Washer Nozzle Pkg.
CSM-101-1	8.50	Motor	AW-129-1	1.00	W/S Washer Nozzle Pkg.
SSM-101-1	7.50	Motor	AW-129-6	6.00	W/S Washer Nozzle Card
SSR-101-1	7.50	Motor	AW-129-7	6.00	W/S Washer Nozzle Card
CSM-101-2	8.50	Motor	AW-129-9	5.25	W/S Washer Nozzle Card
CSM-101-3	8.50	Motor	AW-133	1.00	W/S Washer Nozzle Pkg.
CSM-102-1	8.50	Motor	AW-133-6	6.00	W/S Washer Nozzle Card
CSM-102-2	8.50	Motor	AW-134	1.00	W/S Washer Nozzle Pkg.
SSR-102-8A	7.50	Motor	KSB-134	6.00	Motor
SSR-103-8A	7.50	Motor	AW-134-6	6.00	W/S Washer Nozzle Card
CSM-104-1	8.50	Motor	AW-135	1.00	W/S Washer Nozzle Pkg.
SSR-104-7A	7.50	Motor	AW-135-6	6.00	Can use AW-133
EV-105	25.30	Electro-Vac (6 volts)			W/S Washer Nozzle Card
FPSC-105	13.75	Power Unit	AW-136	.30	can use AW-133-6
F-105-2	.07	Set Screw			W/S Washer Nozzle Pkg.
CSM-106-1	8.50	Motor	AW-137	.50	Nozzle Package
CSM-107	8.50	Motor	KSB-137	6.00	Motor
CSM-108	8.50	Motor	AW-138	1.00	W/S Washer Nozzle Pkg.
KSB-108	6.00	Motor	AW-138-6	6.00	Can use AW-134
CSM-110	8.50	Motor			W/S Washer Nozzle Card
FPSC-110	13.75	Power Unit			Can use AW-134-6
CSM-110-1	8.50	Motor	FPSC-140	13.75	Power Unit
D-111	17.50	Arctic Blade Assortment	AL-150	2.00	Adjustable Arm
CSM-111-1	8.50	Motor	AW-153	.05net	Push Rod Package
CSM-112	8.50	Motor	F-154-1	.20	Compression Nut

## NUMERICAL PRICE LIST


6/59

FOR USE WITH DM-1200



PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
AW-156	4.50	Pump & Jar Assembly	KSB-331	6.00	Motor
AW-157	16.00	W/S Washer Service Pkg.	333	.07	Hose Connection
KSB-163	6.00	Motor	KSB-333-2	6.00	Motor
F-167-24	.07	Screw	KSB-334-2	6.00	Motor
Sp.AA-172-2	5.40	Auxiliary Arm	KSB-345	6.00	Motor
FPC-185	14.30	Motor	KSB-346	6.00	Motor
GC-202-B	4.20	Glass Cleaner Display	KSB-349	6.00	Motor
RB-214	2.75	14" H.D. Curved Blade	KSB-350	6.00	Motor
AR-215		15" H.D. Arctic Blade	WA-355	11.70	Solvent (E-Z Clean)
RB-216	3.30	16" H.D. Curved Blade	KSB-355-1	6.00	Motor
AR-218	4.95	18" H.D. Arctic Blade	361	.07	Hose Connection 5/8 to 2 <sup>1</sup> / <sub>2</sub>
RB-218	3.85	18" H.D. Curved Blade	365	.13	Compression Nut
SSM-219	7.50	Motor	366	.13	Compression Nut
RB-220	4.40	20" H.D. Curved Blade	368	.22	Universal Body
SSM-220	7.50	Motor	KSB-368	6.00	Motor
SSM-222	7.50	Motor	KSB-369	6.00	Motor
AL-225	2.00	Adjust. Arm	KSB-370-1	6.00	Motor
AL-225-1	2.00	Adjust. Arm	KSB-371-1	6.00	Motor
SSM-226	7.50	Motor	375	.13	Compression Nut
FPSC-227	16.50	Motor	377-J	.13	Compression Body
SSM-232-1	7.50	Motor			
FPSC-234	15.95	Motor	KSB-382	6.00	Motor
FPSC-236-2	15.95	Motor	KSB-383-1	6.00	Motor
FPSC-245	15.95	Motor	KSB-384-1	6.00	Motor
KSB-247-1	6.00	Motor	KSB-385	6.00	Motor
FPSC-249	15.95	Motor	KSB-386	6.00	Motor
FPSC-253	15.95	Motor	KSB-390-1	6.00	Motor
FPSP-255	14.85	Motor	KSB-392	6.00	Motor
FPSP-260	15.95	Motor	KSB-398-1	6.00	Motor
FPSP-260-1	15.95	Motor	SSM-402	7.50	Motor
KSB-263	6.00	Motor	F-403-1	1.25	Piston Rack
KSB-263-3	6.00	Motor	SSM-403-4A	7.50	Motor
KSB-289	6.00	Motor	KSB-404	6.00	Motor
KSB-290	6.00	Motor	KSB-404-1	6.00	Motor
KSB-297	6.00	Motor	SSM-404-1	7.50	Motor
RSB-301	6.00	Motor	KSB-404-2	6.00	Motor
RSB-301-1	6.00	Motor	KSB-404-3	6.00	Motor
KSB-305	7.25	Motor	KSB-405	6.00	Motor
KSB-306	7.25	Motor	SSM-405	7.50	Motor
KSB-307	6.00	Motor	KSB-405-1	6.00	Motor
KSB-314-2	6.00	Motor	F-405-1E	.60	Handle
RSB-317-1	6.00	Motor	KSB-406	6.00	Motor
AW-319*	7.25	W/S Washer (Foot Model)	SSM-406	7.50	Motor
KSB-321	6.00	Motor	KSB-406-1	6.00	Motor
KSB-322	6.00	Motor	SSM-408	7.50	Motor
KSB-326	6.00	Motor	F-410-1	.40	Leather Diaphram
KSB-327	6.00	Motor	KSB-411-2	6.00	Motor
KSB-328-2	6.00	Motor	KSB-411-3	6.00	Motor
KSB-329-2	6.00	Motor	SSM-412-2	7.50	Motor
KSB-330	6.00	Motor	F-415-#	.45	Valve Stop Lever
WA-330-1	3.90	W/S Washer Solvent	KSB-416-2	6.00	Motor

\* Can Use AWF-8



# NUMERICAL PRICE LIST

6

FOR USE WITH DM-1200

6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
KSB-416-3	6.00	Motor	S-556	6.75	Motor
KSB-418-2	6.00	Motor	S-557	6.75	Motor
KSB-418-3	6.00	Motor	S-583-27	6.75	Motor
F-422	.05	Gasket	S-587	6.75	Motor
FPSC-423	15.95	Motor	S-591	6.75	Motor
F-424-7	2.55	Valve Head	S-592-1	6.75	Motor
KSB-436-2	6.00	Motor	Sp. 599-52A	9.25	Reservac (Half Round)
KSB-436-3	6.00	Motor	Sp. 599-61A	9.35	Reservac (Power Brakes)
KSB-437-2	6.00	Motor	KSB-600-L	6.25	Motor
KSB-437-3	6.00	Motor	KSB-600-1R	6.25	Motor
F-442-1	1.25	Piston	KSB-600-2L	6.25	Motor
FPSC-449	16.50	Motor	KSB-600-3R	6.25	Motor
FPSP-449	16.50	Motor	KSB-600-4L	6.25	Motor
FPSC-450	17.05	Motor	KSB-600-5R	6.25	Motor
FPSP-450-1	17.05	Motor	S-602	6.75	Motor
KSB-457	6.00	Motor	S-602-1	6.75	Motor
KSB-457-1	6.00	Motor	S-608	6.75	Motor
KSB-461-1	6.00	Motor	S-611	6.75	Motor
KSB-461-2	6.00	Motor	S-611-1	6.75	Motor
KSB-464	6.00	Motor	S-616	6.75	Motor
FPSP-472-4	16.50	Motor	S-616-1	6.75	Motor
FPSP-473-10	16.50	Motor	649-1	.40	Tee Connection
FPSP-473-11	16.50	Motor	649-2	.40	Tee Connection
F-497-86J	1.25	Shaft & Gear Assy	649-4	.40	Tee Connection
SK-500	7.50	Motor	Sp. FP-666-AH	18.85	Wiper Set
Sp. FP-501-AR	20.45	Wiper Set	685-1J	.35	Guide Roller & Fork
RSL-503	6.00	Motor	Sp. FP-742-AR	20.15	Wiper Set
SK-503	7.50	Motor	U-778-C#	.55	Blade up to 11" incl.
RSL-504	6.00	Motor	U-778-42C	.70	Blade 12"
KSL-511	6.00	Motor	UM-778-C	.55	Blade up to 11" incl.
SK-514	6.75	Motor	UM-778-42C	.70	Blade 12"
SK-514-1	6.75	Motor	WLA-778-C#	.65	Blade up to 11" incl.
S-519-1	6.75	Motor	WLA-778-C	.80	Blade 12"
S-520	6.75	Motor	WMA-778-C#	.65	Blade up to 11" incl.
SK-524-1	6.75	Motor	WMA-778-C	.80	Blade 12"
SK-525	6.75	Motor	846	.22	1' 3/16" Hose
S-527-2	6.75	Motor		1.50	7 1/2' 3/16" Hose (Boxed)
S-527-3	6.75	Motor			50', 3/16" Hose
KSL-531	6.00	Motor			(See Sp. 555-1A)
KSL-532	6.00	Motor			
S-539	6.75	Motor	848	.22	1' 1/4" Hose
S-540	6.75	Motor		1.50	7 1/2', 1/4" Hose (Boxed)
S-540-1	6.75	Motor			50', 1/4" Hose
S-545	6.75	Motor			(See 555-2A)
S-545-1	6.75	Motor			
S-545-2	6.75	Motor	874-C#	.95	Blade up to 14" incl.
S-545-3	6.75	Motor		1.15	Blade 15" to 17" incl.
Sp. 555-1A	8.75	50' 3/16" Hose Display		1.55	Blade 18" to 22" incl.
Sp. 555-2A	8.75	50' 1/4" Hose Display	M-874-C#	.95	Blade up to 14" incl.
Sp. 555-5A	5.50	50' 1/8" Hose Display		1.15	Blade 15" to 17" incl.


## NUMERICAL PRICE LIST

6/59

FOR USE WITH DM-1200



PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
M-874-C#	1.55	Blade 18"	Sp.2236-1A	18.05	Replacement Set
899-C#	.95	Blade up to 14" incl.	Sp.2248-A	19.85	Replacement Set
	1.15	Blade 15" to 17" incl.	2362-2J	.07	Washer
	1.55	Blade 18"	Sp.2438-A	22.75	Replacement Set
M-899-C#	.95	Blade up to 14" incl.	Sp.2475-1A	9.75	Wiper Set
M-899-C#	1.15	Blade 15" to 17" incl.	Sp.2523-3A	9.10	Wiper Set
	1.55	Blade 18"	Sp.2524-A	20.00	Rear Wiper Set
F-931-J	.07	Rivet	Sp.2524-1A	20.00	Rear Wiper Set
F-940-2	4.40	Cylinder & ByPass Tube	F-2544	.24	Compression Body
F-941-1	.60	Cover	2617	.12	Yoke
F-943	.13	Gasket	2618-7	.22	Kicker
F-950	.55	Bushing	2618-17	.22	Kicker
Sp.FPS-1000-AR	26.30	Wiper Set	Sp.2725-A	26.85	Replacement Set
Sp.FPS-1014-AR	27.05	Wiper Set	Sp.2751-Ap	14.20	Replacement Set
F-1043-J#	.95	Plate & Bushing	Sp.2753-A	17.95	Replacement Set
Sp.FPS-1044-A	20.35	Wiper Set	Sp.2755-A	13.65	Replacement Set
Sp.FPS-1057-A	32.25	Wiper Set	Sp.2759-A	21.45	Replacement Set
Sp.1062-A	1.75	Repair Kit	Sp.2760-A	13.65	Replacement Set
Sp.FPS-1063-A	24.75	Wiper Set	Sp.2772-A	12.65	Replacement Set
Sp.1065-A	1.75	Repair Kit	Sp.2774-A	26.00	Replacement Set
Sp.1068-A	1.75	Repair Kit	Sp.2782-A	10.25	Replacement Set
Sp.1073-A	2.00	Repair Kit	Sp.2824-A	16.95	Replacement Set
Sp.1075-A	1.75	Repair Kit	Sp.4080-1A	.60	Shaft Attach. Parts Pkg.
Sp.1079-1A	1.25	Repair Kit	Sp.4088-A	6.85	Air Strainer
Sp.1079-5A	.90	Repair Kit	Sp.4100-A	2.75	Repair Kit
Sp.1082-A	2.30	Repair Kit	Sp.4164-A	2.75	Repair Kit
Sp.1082-1A	2.30	Repair Kit	Sp.4851	N/C	Adaptor Package
Sp.FPS-1084-A	20.60	Wiper Set	Sp.4852-A	.65	Repair Kit
Sp.1084-A	2.50	Repair Kit	Sp.4870-A	3.85	Repair Kit
Sp.1084-1A	2.50	Repair Kit	Sp.4871-A	.50	Arm Adaptor Kit
Sp.1088-1A	2.50	Repair Kit	Sp.4878-2A	1.40	Arm Repair Kit
Sp.FPS-1095-A	22.25	Replacement St	Sp.4904-A	.50	Valve Repair Kit
F-1160-J#	1.25	Shaft	Sp.4904-1A	.20	Parts Package
F-1162	1.90	Gear	8031-J	.40	Vibrator
F-1163	1.90	Gear	8031-1J	.40	Vibrator
F-1178-J#	1.25	Shaft	8101-D	.12	Hose Connection
1243	11.00	50', 5/16" Hose	8430	.33	1' 3/8" Hose
FS-1376-J#	1.35	Shaft		14.50	50', 3/8" Hose
1418-E	.07	Nut	8645	.07	Hose Connection
1457-J	.07	Nut	8897-7	.22	Kicker
1467-J	.12	Nut	8986-1J	.12	Hose Connection
Sp.1933-6A	10.20	Wiper Set	32260-J	1.75net	Driving Burr Tool
Sp.1933-7A	9.45	Wiper Set	32260-5J	.25net	Wrench
Sp.1948-1A	7.45	Wiper Set	32412-J	.25net	Nozzle Wrench
1951-2J	.07	Screw	32438-2J	.25net	Arm Puller
1959	.12	Spring	75072-C	.18	Arm Nut
Sp.1968-3A	9.90	Wiper Set	75191-J	.25net	Arm Forming Pliers
P-2164-44E	.40	Arm	75422	.07	Hose Connection
Sp.2229-A	18.10	Replacement Set	75470-4C	3.75	Wiper Control
Sp.2236-A	18.05	Replacement Set	75470-5C	3.75	Wiper Control



# NUMERICAL PRICE LIST

8

FOR USE WITH DM-1200


6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
75472-MJ	.45	Knob	G-76780-C	4.50	Chain Linkage
75473-J	.13	Valve	G-76781-C	4.50	Chain Linkage
75478	.20	Valve Seat	G-76800-C	4.25	Chain Linkage
75620	.05	Grommet	G-76801-C	4.25	Chain Linkage
75620-1	.05	Grommet	H-76802-1C	3.85	Linkage Service Head
75621-J	1.40	Shaft & Channel	H-76803-1C	3.85	Linkage Service Head
75650-10	4.15	Control Valve	G-76835-C	4.25	Chain Linkage
75670-E	3.35	Control Lever	G-76835-1C	4.25	Chain Linkage
75704-1J	.35	Silencer	G-76835-2C	4.25	Chain Linkage
G-75800-3ES	4.05	Gear Linkage	G-76836-C	4.25	Chain Linkage
G-75800-4ES	4.05	Gear Linkage	G-76836-1C	4.25	Chain Linkage
75896	.03	Felt	G-76836-2C	4.25	Chain Linkage
76004-1C	.50	Knob	H-76841-2C	3.85	Linkage Service Head
G-76030-J	2.50	Pivot Linkage	H-76841-3C	3.85	Linkage Service Head
G-76031-J	2.50	Pivot Linkage	H-76842-1C	3.85	Linkage Service Head
G-76090-1ES	4.05	Gear Linkage	G-76850-J	2.50	Pivot Linkage
G-76096-J	2.50	Pivot Linkage	G-76851-J	2.50	Pivot Linkage
G-76097-J	2.50	Pivot Linkage	G-76854-ES	3.95	Gear Linkage
76115-J	.07	Nut	G-76855-ES	3.95	Gear Linkage
76125-#	.14	Spring and Clip	G-76900-1J	3.40	Pivot Linkage
G-76137-ES	3.95	Gear Linkage	G-76936-1ES	3.95	Gear Linkage
G-76137-1ES	3.95	Gear Linkage	77095-J	9.25	Head & Linkage
G-76143-3ES	3.95	Gear Linkage	77121-1	.05	Washer
G-76143-4ES	3.95	Gear Linkage	G-77529-C	4.25	Chain Linkage
G-76147-1ES	3.95	Gear Linkage	G-77530-C	4.25	Chain Linkage
G-76218-ES	3.95	Gear Linkage	G-77534-C	4.25	Chain Linkage
G-76219-ES	3.95	Gear Linkage	G-77534-1C	4.25	Chain Linkage
H-76237-1ES	3.40	Linkage Service Head	G-77535-C	4.25	Chain Linkage
G-76250-1J	2.50	Pivot Linkage	H-77546-2C	3.85	Linkage Service Head
G-76251-1J	2.50	Pivot Linkage	H-77547-2C	3.85	Linkage Service Head
G-76303-J	2.50	Pivot Linkage	G-77577-C	4.50	Chain Linkage
G-76304-J	2.50	Pivot Linkage	H-77579-2C	3.85	Linkage Service Head
G-76324-10J	3.70	Pivot Linkage	H-77580-2C	3.85	Linkage Service Head
76389-2	.85	Glass Jar	H-77602-C	4.25	Chain Linkage
G-76418-J	2.50	Pivot Linkage	G-77603-C	4.25	Chain Linkage
G-76419-J	2.50	Pivot Linkage	H-77604-1C	3.85	Linkage Service Head
G-76477-ES	3.95	Gear Linkage	H-77605-1C	3.85	Linkage Service Head
76570-63C	1.00	Arm			
76589-J	.07	Pin	G-77617-C	4.50	Chain Linkage
G-76659-ES	3.95	Gear Linkage	G-77618-C	4.50	Chain Linkage
G-76660-ES	3.95	Gear Linkage	H-77619-1C	3.85	Linkage Service Head
H-76670-2ES	3.40	Linkage Service Head	H-77620-1C	3.85	Linkage Service Head
G-76685-ES	3.95	Gear Linkage	77680-C	1.15	Control Valve
G-76692-1ES	3.95	Gear Linkage	77680-5C	1.15	Control Valve
H-76694-1ES	3.40	Linkage Service Head	G-77713-C	4.50	Chain Linkage
G-76696-ES	3.95	Gear Linkage	G-77714-C	4.50	Chain Linkage
H-76699-1C	3.40	Linkage Service Head	G-77727-C	4.25	Chain Linkage
76760-10	4.55	Linkage & Bracket Assy.	G-77727-1C	4.25	Chain Linkage
H-76778-1C	3.85	Linkage Service Head	G-77728-C	4.25	Chain Linkage
H-76779-1C	3.85	Linkage Service Head	G-77728-1C	4.25	Chain Linkage


## NUMERICAL PRICE LIST

6/59

FOR USE WITH DM-1200



PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
H-77729-1C	3.85	Linkage Service Head	H-78464-3J	2.15	Linkage Service Head
H-77730-1C	3.85	Linkage Service Head	G-78547-C	4.50	Chain Linkage
H-77734-1C	3.85	Linkage Service Head	H-78556-1C	3.85	Linkage Service Head
H-77772-4C	3.85	Linkage Service Head	H-78557-1C	3.85	Linkage Service Head
H-77773-4C	3.85	Linkage Service Head	G-78570-C	4.50	Chain Linkage
G-77774-C	4.25	Chain Linkage	G-78571-C	4.50	Chain Linkage
G-77792-C	4.25	Chain Linkage	G-78580-C	4.50	Chain Linkage
G-77793-C	4.25	Chain Linkage	G-78581-C	4.50	Chain Linkage
G-77816-J	2.50	Pivot Linkage	G-78586-C	4.25	Chain Linkage
G-87817-J	2.50	Pivot Linkage	H-78592-2C	3.85	Linkage Service Head
77870-J	4.05	Linkage (Unitized)	G-78593-2C	4.25	Chain Linkage
77870-2J	4.05	Linkage (Unitized)	G-78594-C	4.25	Chain Linkage
77890-JL	3.00	Arm up to 20½" incl.	G-78594-2C	4.25	Chain Linkage
G-77891-1J	2.50	Pivot Linkage	G-78604-C	4.25	Chain Linkage
G-77891-2J	2.50	Pivot Linkage	G-78605-C	4.25	Chain Linkage
G-77892-1J	2.50	Pivot Linkage	78616-C	.85	Wiper Control
G-77892-2J	2.50	Pivot Linkage	78616-5C	.85	Wiper Control
G-77895-1J	2.50	Pivot Linkage	G-78622-C	4.25	Chain Linkage
G-77896-1J	2.50	Pivot Linkage	G-78622-1C	4.25	Chain Linkage
G-77900-J	3.95	Chain Linkage	G-78624-1C	4.25	Chain Linkage
G-77902-J	3.95	Chain Linkage	G-78625-J	2.60	Pivot Linkage
77921	.50	Check Valve	G-78626-J	2.60	Pivot Linkage
77930-22C	.85	Wiper Control	G-78626-12J	2.60	Pivot Linkage
77930-24C	.85	Wiper Control	78628-J	.65	Wiper Control
77930-26C	.85	Wiper Control	78628-1J	.65	Wiper Control
77930-30C	.85	Wiper Control	78628-3J	.65	Wiper Control
H-77957-1J	3.85	Linkage Service Head	78628-6J	.65	Wiper Control
77977	.07	Washer	H-78643-1C	3.85	Linkage Service Head
G-77980-C	4.25	Chain Linkage	H-78644-1C	3.85	Linkage Service Head
G-77981-C	4.25	Chain Linkage	78647-J	.12	Clip
77997-4J	.18	Connecting Rod	G-78662-C	4.25	Chain Linkage
G-77998-C	4.50	Chain Linkage	G-78663-C	4.25	Chain Linkage
H-78076-1C	3.85	Linkage Service Head	G-78663-1C	4.25	Chain Linkage
H-78077-1C	3.85	Linkage Service Head	G-78663-2C	4.25	Chain Linkage
G-78122-C	4.25	Chain Linkage	H-78673-2C	3.85	Linkage Service Head
G-78128-C	4.25	Chain Linkage	H-78674-2C	3.85	Linkage Service Head
G-78129-C	4.25	Chain Linkage	H-78680-2J	2.15	Linkage Service Head
G-78150-1J	2.50	Pivot Linkage	G-78702-C	4.25	Chain Linkage
G-78151-1J	2.50	Pivot Linkage	G-78702-1C	4.25	Chain Linkage
G-78180-J	2.50	Pivot Linkage	G-78703-C	4.25	Chain Linkage
G-78181-J	2.50	Pivot Linkage	G-78703-1C	4.25	Chain Linkage
78369	.75	Glass Jar	H-78707-2C	3.85	Linkage Service Head
78377-EW	.35	Jar Cap	H-78707-3C	3.85	Linkage Service Head
78389-EW	1.15	Pump Body	H-78708-1C	3.85	Linkage Service Head
H-78392-3C	3.85	Linkage Service Head	78778-16C	1.25	Nozzle Assembly
H-78393-3C	3.85	Linkage Service Head	G-78806-C	4.25	Chain Linkage
G-78398-C	4.50	Chain Linkage	H-78821-2S	3.85	Linkage Service Head
G-78399-C	4.50	Chain Linkage	G-78823-S#	4.50	Chain Linkage
H-78455-2J	2.15	Linkage Service Head			



# NUMERICAL PRICE LIST

10

FOR USE WITH DM-1200


6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
78916-1	.85	Tee Connection	H-79945-2C	3.85	Linkage Service Head
79020	1.15	Wiper Control	H-79946-2C	3.85	Linkage Service Head
G-79043-C#	4.50	Chain Linkage	79966-C	2.00	Wiper Control
G-79044-C#	4.50	Chain Linkage	80050-C	.18	Nut
79053#	.08	Grommet	80059-1	.40	Knob
H-79077-8C	3.85	Linkage Service Head	80060	1.15	Wiper Control
H-79078-7C	3.85	Linkage Service Head	80109-C	1.15	Wiper Control
H-79079-4C	3.85	Linkage Service Head	80116-J	.55	Tee
H-79083-5C	3.85	Linkage Service Head	G-80131-C#	4.50	Chain Linkage
79089-C	.85	Wiper Control	G-80132-C#	4.50	Chain Linkage
G-79093-C#	4.25	Chain Linkage	80910-JL#	3.30	H.D. Arm
G-79094-C#	4.25	Chain Linkage	81038#	.30	Kicker
79096	.07	Grommet	81079-C	.18	Holding Nut
G-79103-C#	4.50	Chain Linkage	G-81109	3.10	Cable Linkage
G-79104-C#	4.50	Chain Linkage	G-81110	3.10	Cable Linkage
H-79105-2C	3.85	Linkage Service Head	81141-3	.40	Knob
H-79106-2C	3.85	Linkage Service Head	81160-J #	2.30	Driver
G-79150-J	2.50	Pivot Linkage	81167	.12	Saddle
G-79151-J	2.50	Pivot Linkage	81170-1J	1.75	Wiper Control
G-79218-J	2.60	Pivot Linkage	81170-2J	1.75	Wiper Control
G-79218-1J	2.60	Pivot Linkage	81170-4J	1.75	Wiper Control
G-79219-J	2.60	Pivot Linkage	81170-8J	1.75	Wiper Control
G-79219-1J	2.60	Pivot Linkage	81170-9J	2.00	Wiper Control
H-79223-1J	2.15	Linkage Service Head	81170-10J	2.25	Wiper Control
H-79227-1J	2.15	Linkage Service Head	81170-13J	2.25	Wiper Control
79228#	.35	Kicker	81170-14J	2.25	Wiper Control
G-79260-J	2.60	Pivot Linkage	81170-17J	1.75	Wiper Control
G-79261-J	2.60	Pivot Linkage	81170-23J	1.75	Wiper Control
79264-13C	1.15	Arm	81184-J	2.00	Wiper Control
79265-13C	1.15	Arm	G-81300-C	4.50	Cable Linkage
H-79269-1J	2.15	Linkage Service Head	G-81301-C	4.50	Cable Linkage
79271-C	.85	Wiper Control	81303-J	1.75	Wiper Control
79271-3C	.85	Wiper Control	81303-1J	1.75	Wiper Control
79310-2C	.85	Wiper Control	81303-3J	1.75	Wiper Control
H-79314-1J	2.15	Linkage Service Head	81303-4J	1.75	Wiper Control
G-79332-C#	4.50	Chain Linkage	81303-6J	1.75	Wiper Control
G-79333-C#	4.50	Chain Linkage	81303-11J	2.25	Wiper Control
H-79348-1J	2.15	Linkage Service Head	81303-12J	1.75	Wiper Control
H-79362-1C	3.85	Linkage Service Head	81303-13J	1.75	Wiper Control
H-79363-1C	3.85	Linkage Service Head	G-81320-1C	4.50	Chain Linkage
G-79403-C#	4.50	Chain Linkage	81339-J	1.75	Wiper Control
G-79404-C#	4.50	Chain Linkage	81339-3J	1.75	Wiper Control
H-79405-2C	3.85	Linkage Service Head	81339-4J	1.75	Wiper Control
H-79406-2C	3.85	Linkage Service Head	81339-5J	1.75	Wiper Control
79513-S	.30	Tee	81339-6J	1.75	Wiper Control
79513-1S	.30	Tee	G-81351-C#	4.50	Cable Linkage
79549-C	1.75	Wiper Control	G-81352-C#	4.50	Cable Linkage
79549-2PN	1.75	Wiper Control	G-81411	3.20	Cable Linkage
G-79942-C#	4.50	Chain Linkage	G-81412	3.20	Cable Linkage
G-79943-C#	4.50	Chain Linkage	G-81489	3.10	Cable Linkage


## NUMERICAL PRICE LIST

6/59

FOR USE WITH DM-1200



PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
G-81490	3.10	Cable Linkage	82536-19J	1.50	Cable Tensioner
G-81491	3.10	Cable Linkage	82536-20J	2.00	Cable Tensioner
G-81492	3.10	Cable Linkage	82536-21J	2.00	Cable Tensioner
H-81576-4	2.15	Linkage Service Head	82537-J	1.50	Cable Tensioner
H-81576-5	2.15	Linkage Service Head	82537-3J	1.50	Cable Tensioner
H-81592-4	2.15	Linkage Service Head	82537-4J	1.50	Cable Tensioner
H-81592-5	2.15	Linkage Service Head	82537-5J	1.50	Cable Tensioner
81660-J	2.50	Wiper Control	82537-7J	1.50	Cable Tensioner
81660-1J	2.50	Wiper Control	82537-9J	1.50	Cable Tensioner
H-81684-1	2.15	Linkage Service Head	82537-10J	1.50	Cable Tensioner
G-81740-1C	5.00	Cable Linkage	82537-12J	1.50	Cable Tensioner
G-81741-1C	5.00	Cable Linkage	82537-13J	1.50	Cable Tensioner
G-81860-C#	3.75	Cable Linkage	82537-15J	1.50	Cable Tensioner
G-81861-C#	3.75	Cable Linkage	82537-18J	1.50	Cable Tensioner
G-81946	3.10	Cable Linkage	82537-19J	1.50	Cable Tensioner
G-81946-1	3.10	Cable Linkage	82537-20J	2.00	Cable Tensioner
G-81947	3.10	Cable Linkage	82537-21J	2.00	Cable Tensioner
G-81947-1	3.10	Cable Linkage	G-82556-C	4.50	Cable Linkage
G-82086	3.10	Cable Linkage	G-82557-C	4.50	Cable Linkage
G-82086-1	3.10	Cable Linkage	G-82562	6.80	Linkage & Bracket
G-82087	3.10	Cable Linkage	82586-J	1.75	Wiper Control
G-82087-1	3.10	Cable Linkage	H-82613-1	2.15	Linkage Service Head
H-82113-1	2.15	Linkage Service Head	H-82643-1	2.15	Linkage Service Head
G-82156	6.80	Linkage & Bracket	G-82665	6.80	Linkage & Bracket
G-82158-C	4.50	Cable Linkage	G-82665-1	6.80	Linkage & Bracket
G-82159-C	4.50	Cable Linkage	82700-3JL	2.35	H.D. Arm
82306	.18	Valve	82701-3JL	2.35	H.D. Arm
82330-J	1.15	Wiper Control	G-82702-C	4.10	Pivot Linkage
82360-J	2.25	Wiper Control	H-82702-10C	3.85	Linkage Service Head
82360-1J	2.25	Wiper Control	H-82702-11C	3.85	Linkage Service Head
82360-6J	2.00	Wiper Control	G-82703-C	4.10	Pivot Linkage
82360-9J	2.00	Wiper Control	H-82703-10C	3.85	Linkage Service Head
82360-10J	2.25	Wiper Control	H-82703-11C	3.85	Linkage Service Head
82360-21J	2.25	Wiper Control	H-82710-10C	3.85	Linkage Head
82360-29J	2.00	Wiper Control			
G-82433	2.65	Pivot Linkage	H-82711-10C	3.85	Linkage Service Head
82435-J	2.00	Wiper Control	82796-1J	2.50	Control
82460-J	1.15	Wiper Control	82800-J	1.75	Wiper Control
G-82531	3.10	Pivot Linkage	82800-1J	1.75	Wiper Control
82536-J	1.50	Cable Tensioner	82800-3J	1.75	Wiper Control
82536-3J	1.50	Cable Tensioner	82800-6J	1.75	Wiper Control
82536-4J	1.50	Cable Tensioner	H-82830-10C	3.85	Linkage Service Head
82536-5J	1.50	Cable Tensioner	H-82831-10C	3.85	Linkage Service Head
82536-7J	1.50	Cable Tensioner	82840-J	3.00	Wiper Control
82536-9J	1.50	Cable Tensioner	82840-1J	3.00	Wiper Control
82536-10J	1.50	Cable Tensioner	82840-2J	3.25	Wiper Control
82536-12J	1.50	Cable Tensioner	82840-3J	3.00	Wiper Control
82536-13J	1.50	Cable Tensioner	82840-4J	3.00	Wiper Control
82536-15J	1.50	Cable Tensioner	82840-5J	3.00	Wiper Control
82536-18J	1.50	Cable Tensioner	82840-7J	2.50	Wiper Control



# NUMERICAL PRICE LIST


12

FOR USE WITH DM-1200

6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
82840-8J	3.00	Wiper Control	G-82947	3.45	Cable Linkage
82840-9J	3.50	Wiper Control	H-86002-1	2.15	Linkage Service Head
82840-10J	3.00	Wiper Control	H-86003-1	2.15	Linkage Service Head
82840-11J	3.50	Wiper Control	H-86010-1	2.15	Linkage Service Head
82840-12J	3.00	Wiper Control	H-86011-1	2.15	Linkage Service Head
82840-13J	3.00	Wiper Control	H-86035-1	2.15	Linkage Service Head
82840-14J	3.00	Wiper Control	G-86084	2.70	Pivot Linkage
82840-15J	3.00	Wiper Control	G-86085	2.70	Pivot Linkage
82840-16J	3.00	Wiper Control	G-86086	2.70	Pivot Linkage
82840-18J	3.00	Wiper Control	G-86087	2.70	Pivot Linkage
82840-19J	3.00	Wiper Control	G-86088	2.70	Pivot Linkage
82840-20J	3.25	Wiper Control	G-86089	2.70	Pivot Linkage
82840-21J	3.25	Wiper Control	H-86107-1	2.15	Linkage Service Head
82840-22J	3.25	Wiper Control	H-86108-1	2.15	Linkage Service Head
82840-23J	3.25	Wiper Control	86120-C#	3.75	Cable Linkage
82840-24J	3.00	Wiper Control	86121-C#	3.75	Cable Linkage
82840-25J	3.50	Wiper Control	86213-83JL	3.55	Arm
82840-27J	3.00	Wiper Control	86233	1.00	Connecting Arm
82840-28J	3.00	Wiper Control	86234	1.00	Connecting Arm
82840-31J	3.50	Wiper Control	86235-1JL	2.35	Arm
82840-33J	3.50	Wiper Control	86236-1JL	2.35	Arm
82840-36J	3.25	Wiper Control	86239-1J	2.50	Wiper Control
82840-38J	3.00	Wiper Control	H-86314-1	2.15	Linkage Service Head
82840-40J	3.00	Wiper Control	H-86378-1	2.15	Linkage Service Head
82840-41J	3.50	Wiper Control	H-86379-1	2.15	Linkage Service Head
82840-43J	3.50	Wiper Control	H-86424-10C	3.85	Linkage Service Head
82840-44J	3.50	Wiper Control	H-86425-10C	3.85	Linkage Service Head
82840-45J	3.00	Wiper Control	H-86449-C	6.00	Linkage Service Head
82840-46J	3.25	Wiper Control	86470-1J	1.75	Wiper Control
82840-47J	3.50	Wiper Control	86490-39C	.15	Push Rod
82840-48J	3.00	Wiper Control	H-86536-10C	3.85	Linkage Service Head
82840-50J	3.50	Wiper Control	H-86536-11C	3.85	Linkage Service Head
82840-52J	3.00	Wiper Control	H-86537-10C	3.85	Linkage Service Head
82840-54J	3.50	Wiper Control	H-86537-11C	3.85	Linkage Service Head
82840-55J	3.00	Wiper Control	H-86544-10C	3.85	Linkage Service Head
82840-57J	3.25	Wiper Control	H-86544-11C	3.85	Linkage Service Head
82840-69J	4.25	Wiper Control	H-86545-10C	3.85	Linkage Service Head
82840-71J	4.25	Wiper Control	H-86545-11C	3.85	Linkage Service Head
82840-72J	4.25	Wiper Control	86600 #	.35	Shaft
82845	.13	Nut	G-86638-C	4.75	Cable Linkage
H-82856-1	3.05	Linkage Service Head	G-86639-C	4.75	Cable Linkage
82857	.50	Glass Jar (1 qt.)	G-86710	2.80	Pivot Linkage
82858-5C	1.40	Arm	G-86711	2.80	Pivot Linkage
82859-5C	1.40	Arm	G-86715-J	2.80	Pivot Linkage
82895	.75	Glass Jar	H-86717-1	2.15	Linkage Service Head
82895-1	.80	Glass Jar	G-86769-J	3.55	Pivot Linkage
82903-1	.25	Lower Cylinder Head	H-86779-1J	2.15	Linkage Service Head
G-82908	3.10	Cable Linkage	86820	.22	Valve
G-82909	3.10	Cable Linkage	86898-7	.30	Kicker
G-82946	3.45	Cable Linkage	H-86986-1	2.15	Linkage Service Head


## NUMERICAL PRICE LIST



6/59

FOR USE WITH DM-1200

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
H-86987-1	2.15	Linkage Service Head	87150-11J	1.75	Wiper Control
87000-1J	3.00	Wiper Control	87150-13J	2.00	Wiper Control
87000-2J	3.00	Wiper Control	87150-24J	2.75	Wiper Control
87000-3J	3.00	Wiper Control	87150-28J	2.50	Wiper Control
87000-4J	3.25	Wiper Control	87150-30J	2.50	Wiper Control
87000-11J	3.00	Wiper Control	87150-35J	2.50	Wiper Control
87000-12J	3.25	Wiper Control	87150-36J	2.25	Wiper Control
87000-13J	3.25	Wiper Control	87150-40J	2.25	Wiper Control
87000-14J	3.00	Wiper Control	87150-41J	2.35	Wiper Control
87000-15J	3.00	Wiper Control	G-87152-J	3.95	Cable Linkage
87000-21J	3.25	Wiper Control	G-87153-J	3.95	Cable Linkage
87000-23J	3.25	Wiper Control	87202-3 EW	.40	Jar Cover Assembly
87000-24J	3.00	Wiper Control	87223-1	.22	Tee
87000-26J	3.00	Wiper Control	H-87298-1	2.15	Linkage Service Head
87000-27J	3.25	Wiper Control	H-87299-1	2.15	Linkage Service Head
87000-29J	3.75	Wiper Control	J-87415-JL#	4.80	H.D. Arm
87000-31J	3.75	Wiper Control	87416-5J	2.75	Pivot Linkage
87000-34J	3.00	Wiper Control	87417-5J	2.75	Pivot Linkage
87000-36J	1.75	Wiper Control	H-87440-2	2.15	Linkage Service Head
87000-37J	1.75	Wiper Control	H-87440-3	2.15	Linkage Service Head
87000-38J	3.00	Wiper Control	H-87526-1	2.15	Linkage Service Head
87000-40J	3.25	Wiper Control	87580-1C	1.00	Nozzle & Tube
87000-47J	3.25	Wiper Control	87580-2C	1.00	Nozzle & Tube
87000-49J	3.25	Wiper Control	H-87589-1	2.15	Linkage Service Head
87000-50J	3.75	Wiper Control	H-87688-1	2.15	Linkage Service Head
87000-53J	3.00	Wiper Control	H-87820-1	2.15	Linkage Service Head
87000-54J	2.75	Wiper Control	87882-EW	1.35	Cover & Valve Assy.
87000-57J	3.50	Wiper Control	87883	.15	Strainer
87000-59J	3.25	Wiper Control	87885-18E	3.00	Foot Pump Assembly
87000-60J	3.25	Wiper Control	87887	.75	Bulb
87000-61J	3.75	Wiper Control	87941-9	.26	Hose (9" special length)
87000-62J	3.50	Wiper Control	88032	.12	Connector
87000-65J	3.50	Wiper Control	88055-1J	2.55	Wiper Control
87000-68J	3.75	Wiper Control	88105-3J	3.25	Wiper Control
87070-1	5.00	Cable Linkage	88105-4J	2.75	Wiper Control
87070-1J	5.00	Cable Linkage	88105-5J	3.25	Wiper Control
87071-J	5.00	Cable Linkage	G-88140-3J	6.00	Cable Linkage
87071-1J	5.00	Cable Linkage	G-88140-4J	6.00	Cable Linkage
87071-2J	5.00	Cable Linkage	G-88140-5J	6.00	Cable Linkage
H-87136-2	2.15	Linkage Service Head	G-88140-6J	6.00	Cable Linkage
H-87136-3	2.15	Linkage Service Head	G-88140-8J	6.00	Cable Linkage
87150-1J	2.00	Wiper Control	G-88140-9J	6.00	Cable Linkage
87150-2J	2.00	Wiper Control	88140-11J	6.00	Cable Linkage
87150-3J	2.00	Wiper Control			
87150-5J	1.75	Wiper Control	88140-17J	6.50	Cable Linkage
87150-7J	2.00	Wiper Control	88140-18J	6.50	Cable Linkage
87150-8J	1.75	Wiper Control	88140-19J	6.00	Cable Linkage
87150-9J	2.00	Wiper Control	88140-20J	6.00	Cable Linkage
			88140-21J	6.50	Cable Linkage



# NUMERICAL PRICE LIST


14

FOR USE WITH DM-1200

6/59

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
88140-22J	6.50	Cable Linkage	88470-7J	5.50	Cable Linkage
88140-23J	6.50	Cable Linkage	88470-9J	5.50	Cable Linkage
88140-24J	6.00	Cable Linkage	G-88471-J	5.00	Cable Linkage
88140-25J	6.00	Cable Linkage	G-88471-1J	5.00	Cable Linkage
88140-26J	6.50	Cable Linkage	G-88471-4J	5.00	Cable Linkage
G-88141-3J	6.00	Cable Linkage	88471-6J	5.50	Cable Linkage
G-88141-4J	6.00	Cable Linkage	88471-7J	5.50	Cable Linkage
G-88141-5J	6.00	Cable Linkage	G-88507-J	3.95	Cable Linkage
G-88141-6J	6.00	Cable Linkage	88507-2J	3.75	Cable Linkage
G-88141-8J	6.00	Cable Linkage	88507-3J	3.75	Cable Linkage
G-88141-9J	6.00	Cable Linkage	88507-4J	3.75	Cable Linkage
88141-11J	6.00	Cable Linkage	G-88508-J	3.95	Cable Linkage
			88508-2J	3.75	Cable Linkage
88141-17J	6.50	Cable Linkage	88508-3J	3.75	Cable Linkage
88141-18J	6.50	Cable Linkage	88508-4J	3.75	Cable Linkage
88141-19J	6.00	Cable Linkage	88726-1C	3.50	Arm
88141-20J	6.00	Cable Linkage	88727-1C	3.50	Arm
88141-21J	6.50	Cable Linkage	G-88730-1C	5.85	Cable Linkage
88141-22J	6.50	Cable Linkage	G-88731-1C	5.85	Cable Linkage
88141-23J	6.50	Cable Linkage			
88141-24J	6.00	Cable Linkage	88792-2C	1.40	Arm
88141-25J	6.00	Cable Linkage	88792-5C	1.40	Arm
88141-26J	6.50	Cable Linkage	88792-6C	1.40	Arm
88230-J	5.00	Cable Linkage	88793-1C	1.40	Arm
88231-J	5.00	Cable Linkage	88793-2C	1.40	Arm
88237-1	.30	Kicker	88793-5C	1.40	Arm
88237-7	.30	Kicker	88793-6C	1.40	Arm
88268	.22	Valve	G-88798-J	3.50	Cable Linkage
G-88270-3J	5.00	Cable Linkage	G-88798-1J	3.55	Cable Linkage
G-88270-4J	5.00	Cable Linkage	G-88799-J	3.50	Cable Linkage
G-88270-5J	5.00	Cable Linkage	G-88799-1J	3.55	Cable Linkage
G-88270-6J	5.00	Cable Linkage	88810-2C	4.35	Cam-O-Matic Arm
G-88270-8J	5.00	Cable Linkage	88810-4C	4.35	Cam-O-Matic Arm
88270-9J	6.50	Cable Linkage	88810-5C	4.35	Cam-O-Matic Arm
88270-10J	6.50	Cable Linkage			
G-88271-3J	5.00	Cable Linkage	88811-2C	4.35	Cam-O-Matic Arm
G-88271-4J	5.00	Cable Linkage	88811-4C	4.35	Cam-O-Matic Arm
G-88271-5J	5.00	Cable Linkage	88811-5C	4.35	Cam-O-Matic Arm
G-88271-6J	5.00	Cable Linkage	G-88824-1J	2.75	Pivot Linkage
G-88271-8J	5.00	Cable Linkage	88824-3J	4.00	Pivot Linkage
88271-9J	6.50	Cable Linkage	G-88825-J	2.75	Pivot Linkage
88271-10J	6.50	Cable Linkage	G-88825-2J	2.75	Pivot Linkage
88300	2.80	Cylinder Assembly	88825-3J	4.00	Pivot Linkage
88348-J	3.00	Wiper Control	88853-7	.50	Kicker
H-88397-2	2.15	Linkage Service Head	88853-17	.50	Kicker
H-88397-3	2.15	Linkage Service Head	88860-1C	2.50	Cam-O-Matic Arm
G-88470-J	5.00	Cable Linkage	88860-2C	2.50	Cam-O-Matic Arm
G-88470-1J	5.00	Cable Linkage	88860-3C	2.50	Cam-O-Matic Arm
G-88470-4J	5.00	Cable Linkage	88860-4C	2.50	Cam-O-Matic Arm
88470-6J	5.50	Cable Linkage	88861-1C	2.50	Cam-O-Matic Arm

## NUMERICAL PRICE LIST



6/59


FOR USE WITH DM-1200

PART NO.	LIST PRICE	DESCRIPTION	PART NO.	LIST PRICE	DESCRIPTION
88861-2C	2.50	Cam-O-Matic Arm	89290-C	4.50	Wiper Control
88861-3C	2.50	Cam-O-Matic Arm	89290-2C	2.50	Wiper Control
88861-4C	2.50	Cam-O-Matic Arm	89342-1C	2.50	Cam-O-Matic Arm
88870-J	3.50	Wiper Control	89343-1C	2.50	Cam-O-Matic Arm
88870-1J	4.00	Wiper Control	89346-1C	1.65	Arm
88870-2J	3.50	Wiper Control	89346-2C	1.65	Arm
88870-5J	4.00	Wiper Control	89347-1C	1.65	Arm
88870-6J	4.00	Wiper Control	89347-2C	1.65	Arm
88946-1C	3.50	Arm	G-89401-J	3.05	Pivot Linkage
88947-1C	3.50	Arm	G-89402-J	3.05	Pivot Linkage
G-88987-J	2.80	Pivot Linkage	89405-1JL	2.35	Arm
G-88987-1J	2.80	Pivot Linkage	89406-1JL	2.35	Arm
G-88987-2J	2.80	Pivot Linkage	89448	2.00	Plastic Tank
G-88988-J	2.80	Pivot Linkage	89470-1C	4.50	Cam-O-Matic Arm
G-88988-1J	2.80	Pivot Linkage	89471-1C	4.50	Cam-O-Matic Arm
G-88988-2J	2.80	Pivot Linkage	89525-1C	4.25	Wiper Control
G-89007-J	5.00	Cable Linkage	89525-2C	4.25	Wiper Control
89007-1J	5.00	Cable Linkage	G-89591-J	4.80	Cable Linkage
G-89008-J	5.00	Cable Linkage	89591-2J	5.00	Cable Linkage
89008-1J	5.00	Cable Linkage	G-89592-J	4.80	Cable Linkage
89008-2J	5.00	Cable Linkage	89592-2J	5.00	Cable Linkage
89038-1C	3.50	Arm	89631-J	3.00	Pivot Linkage
89039-1C	3.50	Arm	89631-2J	3.00	Pivot Linkage
89075-2	.75	Valve & Tubes Assem.	89632-J	3.00	Pivot Linkage
89079-2	1.50	Plastic Bag	89632-2J	3.00	Pivot Linkage
89100-2	1.75	Coupler	89690	2.00	Coupler
89100-6	1.75	Coupler	89761-J	3.25	Pivot Linkage
89100-8	2.00	Coupler	89762-J	3.25	Pivot Linkage
89100-9	1.75	Coupler	89815-1C	5.50	Cam-O-Matic Arm
89100-10	1.75	Coupler	89815-5C	5.50	Cam-O-Matic Arm
89100-11	2.00	Coupler	89816-1C	5.50	Cam-O-Matic Arm
89100-12	2.00	Coupler	89816-5C	5.50	Cam-O-Matic Arm
89100-13	1.75	Coupler	89817-1C	2.50	Arm
89100-14	1.75	Coupler	89817-2C	2.50	Arm
89100-16	2.00	Coupler	89817-3C	2.50	Arm
89100-17	1.75	Coupler	89818-1C	2.50	Arm
89100-18	2.00	Coupler	89818-2C	2.50	Arm
89100-20	2.00	Coupler	89818-3C	2.50	Arm
89100-21	2.00	Coupler	89819-1C	3.50	Arm
89100-24	2.00	Coupler	89820-1C	3.50	Arm
89100-26	2.00	Coupler	G-89902-J	3.30	Pivot Linkage
89176-1C	1.75	Arm	G-89903-J	3.30	Pivot Linkage
89176-2C	1.75	Arm	89985-1C	5.50	Cam-O-Matic Arm
89176-3C	1.75	Arm	89985-2C	5.50	Cam-O-Matic Arm
89177-1C	1.75	Arm	89986-1C	5.50	Cam-O-Matic Arm
89177-2C	1.75	Arm	89986-2C	5.50	Cam-O-Matic Arm
89177-3C	1.75	Arm	90090-1J	2.75	Pivot Linkage
89280-C	4.50	Wiper Control	90091-1J	2.75	Pivot Linkage
89285-1C	4.35	Cam-O-Matic Arm	90110-1C	5.50	Cam-O-Matic Arm
89286-1C	4.35	Cam-O-Matic Arm	90111-1C	5.50	Cam-O-Matic Arm

FOR DISTRIBUTION TO TRICO  
FRANCHISE ACCOUNTS ONLY

DATE OF ISSUE  
JULY 1, 1959

SUPERSEDES DM-1503-58  
NUMERICAL PRICE LIST



# NUMERICAL PRICE LIST

For use with DM - 1200  
Specification and Sales Catalog

**PRICES SUBJECT TO CHANGE WITHOUT NOTICE**

(Resale prices are suggested, not compulsory)

**TRICO PRODUCTS CORPORATION, BUFFALO, N. Y.**

WORLD'S LARGEST MANUFACTURER OF VACUUM EQUIPMENT FOR MOTOR CARS